Journal of Applied Polymer Science

Author Index—Volume 79

Abe, S.
—; Yamaguchi, M.: Study on the Foaming of Crosslinked Polyethylene, 2146
Acharya, S. See Samal, R. K., 575
Acosta, J. L.
—; González, L.; Del Rio, C.; Ojeda, C.; Rodríguez, A.: Elastomeric Conducting Systems Based on Ethylene–Propylene–Norbornene Composites, 2136
Ahmed, M. A.
—; Basha, A. M.; Marey, H. K.; Hanafy, T. A.: Effect of Fast Neurons and γ Radiation of Cobalt-Gelatin Film, 1749
Aigbodion, A. I.
—; Pillai, C. K. S.: Synthesis and Molecular Weight Characterization of Rubber Seed Oil-Modified Alkyd Resins, 2431
Akatsuka, M.
—; Takezawa, Y.; Kamiya, H.: Delamination Mechanism of High-Voltage Coil Insulators Made from Mica Flakes and Thermosetting Epoxy Resin, 2164
Akinay, E.
—; Tinçer, T.: Radiation Grafting of Vinyl Monomers onto Poly(tetrafluoroethylene) Powder Produced by γ Irradiation and Properties of Grafted Poly(tetrafluoroethylene) Filled Low Density Polyethylene, 816
Albertsson, A.-C. See Karlsson, A., 2349
Albertsson, A. C. See Khabbaz, F., 2309
Albouy, A. See Hong, S. U., 696
Ali, R. See Iannace, S., 1084
Allen, D. J. See Ishida, H., 406
Al-Malaika, S.
—; Kong, W.: Reactive Processing of Polymers: Melt Grafting of Glycidyl Methacrylate on Ethylene Propylene Copolymer in the Presence of a Coagent, 1401
Alvarez, C. I. See Gomez, C. G., 920
Ambika Devi, K. See Sekkar, V., 1869
Amornsakchai, T.
—; Wangsoub, S.; Bualek-Limcharoen, S.: Irradiation of Highly Oriented Polyethylene Fibers in the Atmosphere of Some Vinyl Monomers: Effect on Compressive Strength, 2494
Anbarasan, R.
—; Muthumani, N.; Vasudevan, T.; Gopalan, A.; Wen, T.-C.: Chemical Grafting of Polyaniline onto Nylon66 Fiber in Different Media, 1283
Andjelić, S.
—; Jamiolkowski, D.; McDivitt, J.; Fischer, J.; Zhou, J.; Vetrecin, R.: Crystallization Study on Absorbable Poly(*p*-Dioxanone) Polymers by Differential Scanning Calorimetry, 742
Annadurai, V.
—; Subramanya, G.; Gopalkrishne Urs, R.; Somashekar, R.: Structure–Property Relation in Varieties of Silk Fibers, 1979
Aoki, K. See Chen, J., 214
Aoki, Y. See Chen, J., 214
Arai, T.
—; Ishikawa, H.; Freddi, G.; Winkler, S.; Tsukada, M.: Chemical Modification of *Bombyx mori* Silk Using Isocyanates, 1756
—; See Tsukada, M., 1764
Aranguren, M. I. See Stefani, P. M., 1771
Araujo, O.
—; Giudici, R.; Saldivar, E.; Ray, W. H.: Modeling and Experimental Studies of Emulsion Copolymerization Systems. I. Experimental Results, 2360
—; See Saldívar, E., 2380
Arda, E. See Pekcan, Ö., 2014
Arnold, F. E. See Zhou, W., 2326
Athawale, A. A.
—; Chabukswar, V. V.: Acrylic Acid-Doped Polyaniline Sensitive to Ammonia Vapors, 1994
Audic, J.-L.
—; Poncin-Epaillard, F.; Reyx, D.; Brosse, J.-C.: Cold Plasma Surface Modification of Conventionally and Nonconventionally Plasticized Poly(vinyl chloride)-Based Flexible Films: Global and Specific Migration of Additives into Isooctane, 1384
Augustin, P. See Wortmann, F.-J., 1054
Avilés, M. V. See Puig, C. C., 2022
Azam Ali, M.
—; Ooi, T. L.; Salmiah, A.; Ishiaku, U. S.; Ishak, Z. A. Mohd.: New Polyester Acrylate Resins from Palm Oil for Wood Coating Application, 2156

Baba, M. See Sawada, H., 228
Bajaj, P.
—; Sreekumar, T. V.; Sen, K.: Effect of Reaction Medium on Radical Copolymerization of Acrylonitrile with Vinyl Acids, 1640
Bajsić, E. G.
—; Rek, V.: Thermal Stability of Polyurethane Elastomers Before and After UV Irradiation, 864
Baker, D. A.
—; East, G. C.; Mukhopadhyay, S. K.: Synthesis and Characterization of Some Disulfonyl Azides as Potential Crosslinking Agents for Textile Fibers, 1092
Baker, W. E. See Clark, D. C., 96

Bakr, N. A.
—; Photovoltaic Effect in Polymer–Semiconductor Heterojunction, 2425
Baldock, C. See Lepage, M., 1572
Baltá Calleja, F. J. See Flores, A., 90
Barrera, E. V. See Lozano, K., 125
Basha, A. M. See Ahmed, M. A., 1749
Beauregard, G. P.
—; Hu, Y.-H.; Grainger, D. W.; James, S. P.: Silylation of Poly-L-Lysine Hydrobromide to Improve Dissolution in Apolar Organic Solvents, 2264
Beers, K. J.
—; Ray, W. H.: A Linkage Moment Approach to Modeling Condensation Polymerization with Multiple Monomers. I. Linear Polymers, 246
—; Ray, W. H.: A Linkage Moment Approach to Modeling Condensation Polymerization with Multiple Monomers. II. Extension to Nonlinear Polymers, 266
Bell, J. P. See Tsuchida, K., 1359
Bellenger, V. See Gautier, L., 2517
Bhowmick, A. K. See Chattopadhyay, S., 1877
Białek, M. See Czaja, K., 356, 361
Bigger, S. W. See Fearon, P. K., 733, 1986
Bikiaris, D. See Matzinos, P., 2548
Billingham, N. C. See Fearon, P. K., 733, 1986
Bohn, C. C., Jr.
—; Manning, S. C.; Moore, R. B.: Comparison of Carboxylated and Maleated Polypropylene as Reactive Compatibilizers in Polypropylene/Polyamide-6,6 Blends, 2398
Bonfils, F.
—; Laigneau, J. C.; Sylla, S.; Sainte Beuve, J.: DSC Valuation of PRI of Raw Natural Rubber, 2354
Bonini, C.
—; D'Auria, M.; Mauriello, G.; Pucciariello, R.; Teghil, R.; Tofani, D.; Viggiani, L.; Viggiano, D.; Zimbardi, F.: Graft Copolymers of Lignin from Straw with 1-Ethenylbenzene: Synthesis and Characterization, 72
Boutevin, B. See Lusinchi, J. M., 874; Torres, N., 1816
Brar, A. S.
—; Hekmatyar, S. K.: Microstructure Analysis of Poly(styrene-*co*-vinylidene chloride) Copolymers by NMR Spectroscopy, 544
Bretas, R. E. S. See Da Silva, A. L. N., 1634
Brooks, B. W. See Sajjadi, S., 582
Brosse, J.-C. See Audic, J.-L., 1384
Bu, H. See Liu, Y., 497
Bu, J. See Liu, Y., 497
Bualek-Limcharoen, S. See Amornsakchai, T., 2494
Bump, M. See Kang, H. M., 1042

Cagiao, M. E. See Flores, A., 90
Camurati, I. See Marigo, A., 375
Cao, S. See Zhang, H., 1345, 1352
Catilaz-Simonin, L.
—; Fouassier, J. P.: Investigation of a System Capable of Photoinitiating Radical Polymerizations in Thick Pigmented Media, 1911
Cecchin, G. See D'Orazio, L., 143, 2286
Chabukswar, V. V. See Athawale, A. A., 1994
Chaki, T. K. See Chattopadhyay, S., 1877
Chan, A. S. C. See Ding, X.-B., 1847
Chang, F.-C. See Gu, A., 289; Shieh, Y.-T., 2272
Chang, F. C. See Gu, A., 1902
Chang, S.-S. See Yeh, J.-T., 1890
Chang, T. C. See Wu, K. H., 965
Chang, Y. F. See Sun, M. C., 1439
Changfeng, Y. See Zushun, X., 530
Chattopadhyay, S.
—; Chaki, T. K.; Bhowmick, A. K.: Development of New Thermoplastic Elastomers from Blends of Polyethylene and Ethylene–Vinyl Acetate Copolymer by Electron-Beam Technology, 1877
Chemin, A.
—; Deleuze, H.; Maillard, B.: Influence of the Support Structure on the Activity, Stability, and Metal Leaching of a Polymer-Supported Organotin Chloride Catalyst, 1297
Chen, D. See Chen, H., 295
Chen, H.
—; Fan, Q.; Chen, D.; Yu, X.: Synthesis and Properties of Polyurethane Modified with an Aminoethylaminopropyl-Substituted Polydimethylsiloxane. II. Waterborne Polyurethanes, 295
Chen, H. B. See Wu, K. H., 965
Chen, J.
—; Nakamura, T.; Aoki, K.; Aoki, Y.; Utsunomiya, T.: Curing of Epoxy Resin Contaminated with Water, 214
—; See Hong, X., 1195
Chen, J.-H. See Tai, H.-J., 652
Chen, J.-M. See Wang, Q.-H., 1394
Chen, K.-J. See Huang, W.-K., 662
Chen, K.-N. See Huang, W.-K., 662
Chen, L. See Xu, X., 1958
Chen, M. See Hong, X., 1195
Chen, Q. See Hong, X., 1195
Chen, W. C.
—; Chuang, Y.; Chiu, W. Y.: Kinetics Study of An Acrylic Tetrapolymer: Poly(IBMA–MMA–MAA–TBMA), 853
Chen, X.
—; Yang, H.; Gu, Z.; Shao, Z. : Preparation and Characterization of HY Zeolite-Filled Chitosan Membranes for Pervaporation Separation, 1144
—; See Zhang, Z., 2509
Chen, Y. See Silver, F. H., 134
Cheong, I.-W. See Lee, B.-J., 479
Chiu, S.-H.
—; Pong, S.-H.: In-line Viscosity Fuzzy Control, 1249
Chiu, W. Y. See Chen, W. C., 853
Cho, C. G. See Park, Y. H., 2067
Cho, C.-S. See Chun, M.-K., 1525

Cho, K.
—; Lee, J.; Kwon, K.: Hydrolytic Degradation Behavior of Poly(butylene succinate)s with Different Crystalline Morphologies, 1025
Cho, M. S. See Kim, S. G., 108
Cho, W.-J. See Zhou, M.-H., 2464
Choe, C. R. See Kang, B. U., 38
Choi, D. H. See Kim, S. J., 687
Choi, H. J. See Kim, S. G., 108
Choi, H.-K. See Chun, M.-K., 1525
Choi, S.-S.
—; Improvement of Properties of Silica-Filled Styrene–Butadiene Rubber Compounds Using Acrylonitrile–Butadiene Rubber, 1127
Chou, C.-M. See Hong, P.-D., 1113
Chou, H.-L. See Tai, H.-J., 652
Chowdhury, G.
—; Deng, S.; Matsuura, T.; Laverty, B.: Development of Thin-Film Composite Hollow-Fiber Membranes from Modified Polyphenylene Oxide for Gas Separation Applications, 275
Christiansen, D. L. See Silver, F. H., 134
Chuang, F.-S. See Lin, M.-F., 881
Chuang, W.-T. See Hong, P.-D., 1113
Chuang, Y. See Chen, W. C., 853
Chun, M.-K.
—; Cho, C.-S.; Choi, H.-K.: A Novel Mucoadhesive Polymer Prepared by Template Polymerization of Acrylic Acid in the Presence of Poloxamer, 1525
Cizravi, J. C.
—; Free Radical Kinetics of *N*-Methyl *N*-Vinyl Acetamide Polymerization at Low Conversions in Aqueous Media, 337
Clark, D. C.
—; Baker, W. E.; Whitney, R. A.: Peroxide-Initiated Comonomer Grafting of Styrene and Maleic Anhydride onto Polyethylene: Effect of Polyethylene Microstructure, 96
Collier, J. R. See Petrovan, S., 396; Seyfzadeh, B., 2170
Collins, P. See Masson, J-F., 1034
Comfort, N. P. See Zhou, J., 2503
Contat-Rodrigo, L.
—; Haider, N.; Ribes-Greus, A.; Karlsson, S.: Ultrasonication and Microwave Assisted Extraction of Degradation Products from Degradable Polyolefin Blends Aged in Soil, 1101
Coutinho, F. M. B. See Da Silva, A. L. N., 1634
Czaja, K.
—; Białek, M.: Effect of Hydrogen on the Ethylene Polymerization Process over Ziegler–Natta Catalysts Supported on $MgCl_2(THF)_2$. I. Studies of the Chain-Transfer Reaction, 356
—; Białek, M.: Effect of Hydrogen on the Ethylene Polymerization Process over Ziegler–Natta Catalysts Supported on $MgCl_2(THF)_2$. II. Kinetic Studies, 361

Dai, Y.
—; Jian, X.; Liu, X.; Guiver, M. D.: Synthesis and Characterization of Sulfonated Poly(phthalazinone ether sulfone ketone) for Ultrafiltration and Nanofiltration Membranes, 1685
Damronglerd, S. See Kangwansupamonkon, W., 504
Danjaji, I. D.
—; Nawang, R.; Ishiaku, U. S.; Ismail, H.; Ishak, Z. A. M.: Sago Starch-Filled Linear Low-Density Polyethylene (LLDPE) Films: Their Mechanical Properties and Water Absorption, 29
Da Silva, A. L. N.
—; Rocha, M. C. G.; Coutinho, F. M. B.; Bretas, R. E. S.; Scuracchio, C.: Rheological and Thermal Properties of Binary Blends of Polypropylene and Poly(ethylene-*co*-1-octene), 1634
D'Auria, M. See Bonini, C., 72
Delaunay, D. See Luyé, J.-F., 302
Del Campo, A. See González, L., 714
Deleuze, H. See Chemin, A., 1297
Del Rio, C. See Acosta, J. L., 2136
Demir, T.
—; Tinçer, T.: Preparation and Characterization of Poly(ethylene terephthalate) Powder-Filled High-Density Polyethylene in the Presence of Silane Coupling Agents, 827
Deng, B. See Li, Y., 350
Deng, J.-G. See Ding, X.-B., 1847
Deng, S. See Chowdhury, G., 275
De Peinder, P. See Van den Brink, M., 426
Desai, S. See Thakore, I. M., 488
Desimone, J. M. See Goodner, M. D., 928
Devi, S. See Thakore, I. M., 488
Díaz B., A. See Puig, C. C., 2022
Dikshit, A. K. See Maiti, P., 1541
Dimov, A. See Godjevargova, T., 283
Ding, X.-B.
—; Li, W.; Zheng, Z.-H.; Zhang, W.-C.; Deng, J.-G.; Peng, Y.-X.; Chan, A. S. C.; Li, P.: Preparation and Characterization of Magnetic Amphiphilic Polymer Microspheres, 1847
Dirksen, A.
—; Nieuwenhuizen, P. J.; Hoogenraad, M.; Haasnoot, J. G.; Reedijk, J.: New Mechanism for the Reaction of Amines with Zinc Dithiocarbamates, 1074
D'Orazio, L.
—; Guarino, R.; Mancarella, C.; Martuscelli, E.; Cecchin, G.: Morphology, Crystallization, and Thermal Behavior of Isotactic Polypropylene/Polymethylmethacrylate Blends: Effects of the Addition of a Graft Copolymer of Propylene with Methylmethacrylate, 143
—; Guarino, R.; Mancarella, C.; Martuscelli, E.; Cecchin, G.: Morphology, Crystallization, and Thermal Behavior of Isotactic Polypropylene/Propylene-*g*-Styrene Blends, 2286
Drinkenburg, A. A. H. See Kemmere, M. F., 944
Duan, H. See Wu, Y., 333

Duckett, R. A. See Middleton, A. C., 1825
Duda, J. L. See Hong, S. U., 696

East, G. C. See Baker, D. A., 1092
Edali, M.
—; Nabil Esmail, M.; Vatistas, G. H.: Rheological Properties of High Concentrations of Carboxymethyl Cellulose Solutions, 1787
Eichie, F. E.
—; Okor, R. S.: Solvent Effect on Viscosities of Aqueous Coacervated Systems of Acrylate Methacrylate Copolymer (note), 190
Ekinci, E.
—; Erdoğdu, G.; Karagözler, A. E.: Preparation, Optimization, and Voltammetric Characteristics of Poly(*o*-phenylenediamine) Film as a Dopamine-Selective Polymeric Membrane, 327
El-Sabbagh, S. See Saad, A. L. G., 60
El-Wakil, N. A. See Hassan, M. L., 1965
Erdoğdu, G. See Ekinci, E., 327
Erman, B. See Nugay, N., 366
Ezquerra, T. A. See Flores, A., 90

Fan, Q. See Chen, H., 295
Fang, Y. See Mahmud, H., 183
Fauran, M. J. See Fois, M., 2527
Fearon, P. K.
—; Marshall, N.; Billingham, N. C.; Bigger, S. W.: Evaluation of the Oxidative Stability of Multiextruded Polypropylene as Assessed by Physicomechanical Testing and Simultaneous Differential Scanning Calorimetry–Chemiluminescence, 733
—; Whiteman, D. J.; Billingham, N. C.; Bigger, S. W.: The Second Time Derivative Analysis of Chemiluminescence Emission Profiles and Its Application to the Accurate Determination of Oxidative Induction Times, 1986
Feller, J. F.
—; Linossier, I.; Pimbert, S.; Levesque, G.: Carbon Black-Filled Poly(ethylene-*co*-alkyl acrylate) Composites: Calorimetric Studies, 779
Feng, L. F. See Wang, L., 1188
Feng, L. X. See Wang, L., 1188
Fenouillot, F.
—; Terrisse, J.; Rimlinger, T.: Experimental Study and Simulation of the Polymerization of Methyl Methacrylate at High Temperature in a Continuous Reactor, 2038
Filho, A. A. See Quijada, R., 221
Fischer, J. See Andjelić, S., 742
Flores, A.
—; Cagiao, M. E.; Ezquerra, T. A.; Baltá Calleja, F. J.: Influence of Filler Structure on Microhardness of Carbon Black–Polymer Composites, 90
Flores-Gallardo, S. G.
—; Sánchez-Valdes, S.; Ramos de Valle, L. F.: Polypropylene/Polypropylene-Grafted Acrylic Acid Blends for Multilayer Films: Preparation And Characterization, 1497
Fois, M.
—; Lamure, A.; Fauran, M. J.; Lacabanne, C.: Study of Human Cortical Bone and Demineralized Human Cortical Bone Viscoelasticity, 2527
Fouassier, J. P. See Catilaz-Simonin, L., 1911
Freddi, G. See Arai, T., 1756; Tsukada, M., 1764
Fukuda, A. See Kimura, H., 555
Fukui, Y. See Naiki, M., 1693
Fulchiron, R. See Luyé, J.-F., 302

Galland, G. B. See Quijada, R., 221
Gao, J. See Yang, L., 1067
Gao, S. See Xiao, C., 1596
Garay, M. T. See Vilas, J. L., 447
Gautier, L.
—; Mortaigne, B.; Bellenger, V.; Verdu, J.: Osmotic Cracking in Unsaturated Polyester Matrices Under Humid Environment, 2517
Gawdzik, B.
—; Matynia, T.; Osypiuk, J.: Influence of TDI Concentration on the Properties of Unsaturated Polyester Resins, 1201
German, A. L. See Kemmere, M. F., 944; Van den Brink, M., 426
Ghosh, R. See Jana, T., 1273
Giudici, R. See Araujo, O., 2360; Saldívar, E., 2380
Gobran, R. H. See Gualtieri, G. M., 1653
Godjevargova, T.
—; Simeonova, A.; Dimov, A.: Adsorption of Lead and Copper on Modified Polyacrylonitrile Bead, 283
Gomez, C. G.
—; Alvarez, C. I.; Strumia, M. C.; Rivas, B. L.; Reyes, P.: Effects of Experimental Variables on the Synthesis of Porous Matrices, 920
Gómez-Antón, M. R. See Molina, M. J., 1467
González, L.
—; Rodríguez, A.; Marcos-Fernández, A.; Del Campo, A.: Reinforcing Effect and Electrical Properties of Ethylene-Propylene Rubber Filled with Calcined Sepiolite, 714
—; See Acosta, J. L., 2136
Goodner, M. D.
—; Gross, S. M.; Desimone, J. M.; Roberts, G. W.; Kiserow, D. J.: Broadening of Molecular-Weight Distribution in Solid-State Polymerization Resulting from Condensate Diffusion, 928
Gopalan, A. See Anbarasan, R., 1283
Gopalkrishne Urs, R. See Annadurai, V., 1979
Górski, Z. See Koczorowska, E., 1929
Goto, H. See Ikeda, H., 2029
Grainger, D. W. See Beauregard, G. P., 2264
Grégoire, M. See Pesneau, I., 1556
Grellmann, W.
—; Seidler, S.; Jung, K.; Kotter, I.: Crack-Resistance Behavior of Polypropylene Copolymers, 2317
—; See Han, Y., 9
Gross, S. M. See Goodner, M. D., 928

Gu, A.
—; Chang, F.-C.: A Novel Preparation of Polyimide/Clay Hybrid Films with Low Coefficient of Thermal Expansion, 289
—; Kuo, S.-W.; Chang, F. C.: Syntheses and Properties of PI/Clay Hybrids, 1902
Gu, Z. See Chen, X., 1144
Gualtieri, G. M.
—; Gobran, R. H.; Nien, Y.-H.; Kalidindi, S. R.: Swelling of Crosslinked Poly(Methylmethacrylate-Acrylic Acid) Copolymers in Serum and Saline Solutions, 1653
Guan, R.
—; Xu, X.: Structure and Properties of Isotactic Polypropylene Functionalized by Ultraviolet Irradiation, 1456
Guan, Y. L. See Liu, X. F., 1324
Guarino, R. See D'Orazio, L., 143, 2286
Guiver, M. D. See Dai, Y., 1685
Guo, Q. See Song, X., 598
Guo, T.-Y. See Tang, G.-L., 21
Gupta, K. C.
—; Shahoo, S.: Grafting of Acrylonitrile and Methyl Methacrylate from Their Binary Mixture on Cellulose Using Ceric Ions, 767
Guthrie, J. T. See Ng, L.-T., 466
Güven, O. See Saraydin, D., 1809; Şen, M., 1999

Ha, C.-S. See Zhou, M.-H., 2464
Ha, K.-S.
—; Yoo, K.-Y.; Rhee, H.-K.: Modeling and Analysis of a Slurry Reactor System for Heterogeneous Olefin Polymerization: The Effects of Hydrogen Concentration and Initial Catalyst Size, 2480
Haasnoot, J. G. See Dirksen, A., 1074
Haba, Y. See Segal, E., 760
Hadziioannou, G. See Huijs, F. M., 900
Haga, T.
—; Hydrolysis of Cuprammonium Rayon by Endocellulases, 2543
Haider, N. See Contat-Rodrigo, L., 1101
Hajipour, A.-R. See Mallakpour, S. E., 1317, 1716
Han, H. See Seo, J., 2121
Han, K.
—; Kim, J.; Jang, W.-H.: Evaluation of Halogenated Polyimide Etching for Optical Waveguide Fabrication by Using Inductively Coupled Plasma, 176
Han, Y.
—; Lach, R.; Grellmann, W.: Effects of Rubber Content and Temperature on Unstable Fracture Behavior in ABS Materials with Different Particle Sizes, 9
Hanafy, T. A. See Ahmed, M. A., 1749
Hansen, J.-F. See Van den Brink, M., 426
Hanzawa, Y. See Hatori, H., 836
Hao, G.-J. See Tang, G.-L., 21
Haron, M. J. See Lutfor, M. R., 1256
Hasegawa, K. See Kimura, H., 555
Hassan, M. L.
—; El-Wakil, N. A.; Sefain, M. Z.: Thermoplasticization of Bagasse by Cyanoethylation, 1965
Hassanzadeh, V. See Mirmohseni, A., 1062
Hatori, H.
—; Kobayashi, T.; Hanzawa, Y.; Yamada, Y.; Iimura, Y.; Kimura, T.; Shiraishi, M.: Mesoporous Carbon Membranes from Polyimide Blended with Poly(ethylene glycol), 836
Hayakawa, Y. See Sawada, H., 228
He, G. See Li, Y., 350
He, T. See Lu, H., 2052
Heiden, P. See Liu, Y., 458
Hekmatyar, S. K. See Brar, A. S., 544
Hendrikse, K. G.
—; McGill, W. J.: Vulcanization of Chlorobutyl Rubber. III. Reaction Mechanisms in Compounds Containing Combinations of Zinc Dimethyldithiocarbamate, Tetramethylthiuram Disulfide, Sulfur, and ZnO, 1309
Herrmann, P. S. P., Jr. See Job, A. E., 1220
Higaki, Y. See Ikeda, H., 2029
Hiltz, J. A.
—; Kuzak, S. G.; Waitkus, P. A.: Effect of Thermal Exposure on the Properties of Phenolic Composites: Dynamic Mechanical Analysis, 385
Hinrichsen, G. See Kramer, S., 1278
Hirai, T. See Watanabe, M., 1121
Hirako, Y. See Watanabe, M., 1121
Hirata, K. See Wang, C. L., 974
Hishita, S. See Wang, C. L., 974
Hoang, T. See Zhou, M.-H., 2464
Hocaoğlu, Ö.
—; Özbelge, T.; Pekel, F.; Özkar, S.: Aging of HTPB/AP-Based Composite Solid Propellants, Depending on the NCO/OH and Triol/Diol Ratios, 959
Hon, D. N.-S. See Tang, L.-G., 1476
Hong, C. K.
—; Isayev, A. I.: Continuous Ultrasonic Devulcanization of Carbon Black-Filled NR Vulcanizates, 2340
Hong, P.-D.
—; Chou, C.-M.; Chuang, W.-T.: Effects of Mixed Solvent on Gelation of Poly(vinyl alcohol) Solutions, 1113
Hong, S. U.
—; Albouy, A.; Duda, J. L.: Transport of Blowing Agents in Polyurethane, 696
Hong, X.
—; Chen, Q.; Chen, M.; Yu, R.; Chen, J.: Studies on the Initiation of a Free-Radical Condensation Hybrid Polymerization System, 1195
Hoogenraad, M. See Dirksen, A., 1074
Horita, C. See Yamamoto, H., 437
Hsieh, A. J. See Xia, Z., 2060
Hsiue, G.-H.
—; Shiao, S.-J.; Wei, H.-F.; Kuo, W.-J.; Sha, Y.-A.: Novel Phosphorus-Containing Dicyclopentadiene-Modified

Phenolic Resins for Flame-Retardancy Applications, 342
—; See Lee, R.-H., 1852
Hu, Y.-H. See Beauregard, G. P., 2264
Huang, D. See Li, M., 2192
Huang, H. See Yang, J., 535
Huang, J. See Song, X., 598
Huang, J.-C.
—; Zhu, Z.-K.; Yin, J.; Zhang, D.-M.; Qian, X.-F.: Preparation and Properties of Rigid-Rod Polyimide/Silica Hybrid Materials by Sol–Gel Process, 794
Huang, W.-K.
—; Yeh, J.-T.; Chen, K.-J.; Chen, K.-N.: Flame Retardation Improvement of Aqueous-Based Polyurethane with Aziridinyl Phosphazene Curing System, 662
Huang, Z. See Zhou, S., 1431
Huijs, F. M.
—; Lang, J.; Kalicharan, D.; Vercauteren, F. F.; Van der Want, J. J. L.; Hadziioannou, G.: Formation of Transparent Conducting Films Based on Core-Shell Latices: Influence of the Polypyrrole Shell Thickness, 900

Iannace, S.
—; Ali, R.; Nicolais, L.: Effect of Processing Conditions on Dimensions of Sisal Fibers in Thermoplastic Biodegradable Composites, 1084
Iida, T. See Ikeda, H., 2029
Iide, T. See Xu, X., 1958
Iimura, Y. See Hatori, H., 836
Ikeda, H.
—; Goto, H.; Higaki, Y.; Sunami, M.; Nakano, K.; Nakamura, Y.; Iida, T.: Synergistic Effect of Dimerized Pentaerythritol Esters with Synergistic Metal Soap on the Stabilization of Poly(vinyl chloride), 2029
Inagaki, N.
—; Tasaka, S.; Shimada, S.: Comparative Studies on Surface Modification of Poly(ethylene terephthalate) by Remote and Direct Argon Plasmas, 808
Isayev, A. I. See Hong, C. K., 2340
Ishak, Z. A. M. See Danjaji, I. D., 29
Ishak, Z. A. Mohd. See Azam Ali, M., 2156
Ishiaku, U. S. See Azam Ali, M., 2156; Danjaji, I. D., 29
Ishida, H.
—; Allen, D. J.: Gelation Behavior of Near-Zero Shrinkage Polybenzoxazines, 406
—; See Kim, H.-D., 1207
Ishikawa, H. See Arai, T., 1756; Tsukada, M., 1764
Ismail, H. See Danjaji, I. D., 29
Ismail, Y. S.
—; Richardson, M. O. W.; Olley, R. H.: Optimizing Impact Properties of PP Composites by Control of Spherulitic Morphology, 1704
Iwatani, T. See Matsuyama, H., 2449, 2456

James, S. P. See Beauregard, G. P., 2264
Jamiolkowski, D. See Andjelić, S., 742
Jana, T.
—; Roy, B. C.; Ghosh, R.; Maiti, S.: Biodegradable Film. IV. Printability Study on Biodegradable Film, 1273
Jang, D. W. See Kim, S. J., 687
Jang, S. Y.
—; Kim, D. J.; Seo, K. H.: Physical Properties of Garnet-Filled Polyurethane Foam Composite, 1336
Jang, W.-H. See Han, K., 176
Jansen, P.
—; Soares, B. G.: Mercapto-Modified Copolymers in Polymer Blends. II. The Compatibilization of NBR/EVA Blends, 193
Jayaseharan, J. See Nanda, A. K., 1549
Jayaswal, N.
—; Sinha, S.; Kumar, A.: Effect of Chemical Modifications upon Exchange Capacity of Aminated Macroporous Styrene–Divinyl Benzene (PS–DVB) Copolymer Anion Exchange Resin, 1735
Jegal, J.
—; Oh, N.-W.; Park, D.-S.; Lee, K.-H.: Characteristics of the Nanofiltration Composite Membranes Based on PVA and Sodium Alginate, 2471
Jeng, R.-J. See Lee, R.-H., 1852
Jenkins, R. D. See Tan, H., 1486
Jeon, J. See Seo, J., 2121
Jho, J. Y. See Kang, B. U., 38
Jhon, M. S. See Kim, S. G., 108
Ji, B. See Wang, L., 1188
Jian, X. See Dai, Y., 1685
Jiang, Q. See Lu, J., 312
Jiang, S. See Wang, L., 1188
Jin, R. See Yang, L., 1067
Jin, Y. See Liu, Y., 497
Job, A. E.
—; Herrmann, P. S. P., Jr.; Vaz, D. O.; Mattoso, L. H. C.: Comparison Between Different Conditions of the Chemical Polymerization of Polyaniline on Top of PET Films, 1220
Joshi, M. D.
—; Lonikar, S. V.; Maldar, N. N.: Synthesis and Characterization of Silicon-Containing Poly(amide-amide)s, 1610
Joskowicz, P. See Puig, C. C., 2022
Jung, K. See Grellmann, W., 2317
Jurkowski, B. See Koczorowska, E., 1929

Kai, A. See Mondal, MD. I. H., 1726
Kalicharan, D. See Huijs, F. M., 900
Kalidindi, S. R. See Gualtieri, G. M., 1653
Kamiya, H. See Akatsuka, M., 2164
Kaneoka, H. See Mishima, S., 203
Kaneto, K. See Pandey, S. S., 1506
Kang, B. U.
—; Jho, J. Y.; Kim, J.; Lee, S.-S.; Park, M.; Lim, S.; Choe, C. R.: Effect of Molecular Weight between Crosslinks on the Fracture Behavior of Rubber-Toughened Epoxy Adhesives, 38
Kang, H. M.
—; Yoon, T. H.; Bump, M.; Riffle, J. S.: Effect of Solubility and Miscibility on the Adhesion Behavior of Polymer-Coated

Carbon Fibers with Vinyl Ester Resins, 1042
Kangwansupamonkon, W.
—; Damronglerd, S.; Kiatkamjornwong, S.: Effect of the Third Acrylated Vinyl Comonomer on Absorption and Desorption Properties of Styrene–Divinylbenzene–Alkyl Acrylate Terpolymers, Imbibing Solvent on a Water Surface, 504
Karadağ, E. See Saraydin, D., 1809
Karagözler, A. E. See Ekinci, E., 327
Karger-Kocsis, J. See Mouzakis, D. E., 842
Karlsson, A.
—; Albertsson, A.-C.: A New Method for the Determination of a Hydrosilanization Inhibitor Applied to Measurements during Curing of a Silicone Elastomer, 2349
Karlsson, S. See Contat-Rodrigo, L., 1101
Katayose, T. See Sato, T., 166
Kawabata, T. See Nonaka, T., 115
Kawano, Y. See Lage, L. G., 910
Kawase, T. See Sawada, H., 228
Kemmere, M. F.
—; Meuldijk, J.; Drinkenburg, A. A. H.; German, A. L.: Emulsification in Batch-Emulsion Polymerization of Styrene and Vinyl Acetate: A Reaction Calorimetric Study, 944
Kesenci, K. See Pekcan, Ö., 2014
Khabbaz, F.
—; Albertsson, A. C.: Rapid Test Methods for Analyzing Degradable Polyolefins with a Pro-Oxidant System, 2309
Kiatkamjornwong, S. See Kangwansupamonkon, W., 504
Kim, B. J. See Kim, S. J., 687
Kim, D. J. See Jang, S. Y., 1336
Kim, H.-D.
—; Ishida, H.: Study on the Chemical Stability of Benzoxazine-Based Phenolic Resins in Carboxylic Acids, 1207
Kim, I.-G. See Zhou, M.-H., 2464
Kim, I.-H. See Kim, J. K., 2251
Kim, J. See Han, K., 176; Kang, B. U., 38
Kim, J.-H. See Lee, B.-J., 479
Kim, J. K.
—; Kim, I.-H.: Characteristics of Surface Wettability and Hydrophobicity and Recovery Ability of EPDM Rubber and Silicone Rubber for Polymer Insulators, 2251
Kim, J. W. See Kim, S. G., 108
Kim, J.-Y.
—; Moon, K.-R.; Lee, J.-W.; Suh, K.-D.: Effect of Solvent Interactions on Swelling and Microstructure of Amphiphilic Polyurethane Networks, 608
—; Song, S.-H.; Lee, J.-W.; Suh, K.-D.: Synthesis of Novel Amphiphilic pH-Sensitive Polyurethane Networks through W/O Soap-Free Emulsion Polymerization Process. II. Mechanical Property and Biphasic Swelling Behaviors, 621
Kim, K.-J.
—; Park, S.-H.; So, W.-W.; Moon, S.-J.: Pervaporation Separation of Aqueous Organic Mixtures through Sulfated Zirconia-Poly(vinyl alcohol) Membrane, 1450
Kim, S. G.
—; Kim, J. W.; Cho, M. S.; Choi, H. J.; Jhon, M. S.: Viscoelastic Characterization of Semiconducting Dodecylbenzenesulfonic Acid Doped Polyaniline Electrorheological Suspensions, 108
Kim, S. H. See Kim, S. J., 687
Kim, S. J.
—; Kim, B. J.; Jang, D. W.; Kim, S. H.; Park, S. Y.; Lee, J.-H.; Lee, S.-D.; Choi, D. H.: Photoactive Polyamideimides Synthesized by the Polycondensation of Azo-dye Diamines and Rosin Derivative, 687
Kimura, H.
—; Matsumoto, A.; Sugito, H.; Hasegawa, K.; Ohtsuka, K.; Fukuda, A.: New Thermosetting Resin from Poly(*p*-vinylphenol) Based Benzoxazine and Epoxy Resin, 555
—; Taguchi, S.; Matsumoto, A.: Studies on New Type of Phenolic Resin (IX) Curing Reaction of Bisphenol A-Based Benzoxazine with Bisoxazoline and the Properties of the Cured Resin. II. Cure Reactivity of Benzoxazine, 2331
Kimura, T. See Hatori, H., 836
Kiserow, D. J. See Goodner, M. D., 928
Kishore, K. See Nanda, A. K., 1549
Kitamura, Y. See Matsuyama, H., 2449, 2456
Klein, A. See Tobing, S. D., 2230, 2558
Ko, S.-W. See Lim, D.-W., 1423
Kobayashi, T. See Hatori, H., 836
Kobayashi, Y. See Wang, C. L., 974
Koczorowska, E.
—; Górski, Z.; Jurkowski, B.: Eutectic Alloys in Sulfur-Based Rubber Vulcanizing Systems and Related Problems, 1929
Kokkou, S. See Matzinos, P., 2548
Kolasinska, J. See Nowacki, R., 2439
Konagaya, S.
—; Nita, K.; Matsui, Y.; Miyagi, M.: New Chlorine-Resistant Polyamide Reverse Osmosis Membrane with Hollow Fiber Configuration, 517
Kong, W. See Al-Malaika, S., 1401
Kontou, E. See Spathis, G., 2534
Kotter, I. See Grellmann, W., 2317
Kramer, S.
—; Nowak, H.; Springer, H.; Hinrichsen, G.: Dielectric Relaxation of Polar Aromatics in Unoriented and Oriented Linear Low-Density Polyethylene, 1278
Krochta, J. M. See Trezza, T. A., 2221
Kumar, A. See Jayaswal, N., 1735
Kuo, S.-W. See Gu, A., 1902
Kuo, W.-J. See Hsiue, G.-H., 342
Kuriakose, A. P. See Susamma, A. P., 1
Kurihara, S. See Nonaka, T., 115

Kuzak, S. G. See Hiltz, J. A., 385
Kwon, K. See Cho, K., 1025
Kylmä, J.
—; Seppälä, J.: Ternary-Phase Poly(ester urethane)/Elastomer/Filler Composites, 1531
Kyokane, J. See Sawada, H., 228

Lacabanne, C. See Fois, M., 2527
Lach, R. See Han, Y., 9
Lage, L. G.
—; Kawano, Y.: Thermal Degradation of Biomedical Polyurethanes—A Kinetic Study Using High-Resolution Thermogravimetry, 910
Laigneau, J. C. See Bonfils, F., 2354
Laks, P. See Liu, Y., 458
Lamure, A. See Fois, M., 2527
Lang, J. See Huijs, F. M., 900
Laven, J. See Van de Grampel, R. D., 159
Laverty, B. See Chowdhury, G., 275
Laza, J. M. See Vilas, J. L., 447
Le Bot, P. See Luyé, J.-F., 302
Lee, B.-J.
—; Cheong, I.-W.; Lee, D.-Y.; Kim, J.-H.: Molecular Weight Distributions in Terpolymerization of α-Methylstyrene/Styrene/Acrylic Acid in Continuous Stirred Tank Reactor, 479
Lee, C. See Seo, J., 2121
Lee, D.-Y. See Lee, B.-J., 479
Lee, J.
—; Yee, A. F.: Fracture Behavior of Glass Bead Filled Epoxies: Cleaning Process of Glass Beads, 1371
—; See Cho, K., 1025
Lee, J.-H. See Kim, S. J., 687
Lee, J. M. See Yeom, C. K., 703
Lee, J.-R. See Park, S.-J., 2299
Lee, J.-W. See Kim, J.-Y., 608, 621
Lee, K. See Sawada, H., 228
Lee, K.-H. See Jegal, J., 2471
Lee, L. J. See Yang, H., 1230
Lee, R.-H.
—; Hsiue, G.-H.; Jeng, R.-J.: Organically Modified Inorganic Sol-Gel Materials for Second-Order Nonlinear Optics, 1852
Lee, S.-D. See Kim, S. J., 687
Lee, S. H. See Yeom, C. K., 703
Lee, S.-S. See Kang, B. U., 38
Lee, W.-F.
—; Lin, G.-H.: Superabsorbent Polymeric Materials VIII: Swelling Behavior of Crosslinked Poly Sodium Acrylate-*co*-Trimethyl Methacryloyloxyethyl Ammonium Iodide] in Aqueous Salt Solutions, 1665
—; Yuan, W.-Y.: Thermoreversible Hydrogels XI: Effect of Salt on the Swelling Properties of the (*N*-Isopropylacrylamide-*co*-Sodium 2-Acrylamido-2-methylpropyl Sulfonate) Copolymeric Hydrogels, 1675
León, L. M. See Vilas, J. L., 447
Lepage, M.
—; Whittaker, A. K.; Rintoul, L.; Baldock, C.: ^{13}C-NMR, ^{1}H-NMR, and FT-Raman Study of Radiation-Induced Modifications in Radiation Dosimetry Polymer Gels, 1572
Levesque, G. See Feller, J. F., 779
Lewandowski, Z.
—; Rheological Aspects of Fiber Spinning from Cellulose Solutions in *N*-Methylmorphine-*N*-oxide, 1860
Li, H. See Zhu, F., 1243
Li, J. See Zhang, H., 1345
Li, M.
—; Lu, S.; Wu, Z.; Yan, H.; Mo, J.; Wang, L.: Study on Porous Silk Fibroin Materials. I. Fine Structure of Freeze Dried Silk Fibroin, 2185
—; Wu, Z.; Zhang, C.; Lu, S.; Yan, H.; Huang, D.; Ye, H.: Study on Porous Silk Fibroin Materials. II. Preparation and Characteristics of Spongy Porous Silk Fibroin Materials, 2192
Li, P. See Ding, X.-B., 1847
Li, W. See Ding, X.-B., 1847
Li, Y.
—; Deng, B.; He, G.; Wang, R.; Yang, C.: Two Reduction Processes of Conducting Polypyrrole Tosylate Film in Aqueous Solutions, 350
—; Wang, G.; Yan, D.: Transparent Organic Materials Made from Copolymerization of Styrene with Urethane-Methacrylate Macromer. II. Macromer Mixture System, 674
—; Yan, D.; Wang, G.: Transparent Organic Materials Made from Copolymerization of Styrene with Urethane-Methacrylate Macromer. III. Thermal Behaviors, 680
Li, Z. See Liu, X. F., 1324
Liao, T.-N. See Shieh, Y.-T., 2272
Liberman, S. See Quijada, R., 221
Lim, D.-W.
—; Whang, H. S.; Yoon, K.-J.; Ko, S.-W.: Synthesis and Absorbency of a Superabsorbent from Sodium Starch Sulfate-*g*-Polyacrylonitrile, 1423
Lim, L.-T. See Zhang, Z., 1949
Lim, S. See Kang, B. U., 38
Lin, G.-H. See Lee, W.-F., 1665
Lin, H.-J. See Ma, C.-C. M., 631
Lin, M.-F.
—; Tsen, W.-C.; Shu, Y.-C.; Chuang, F.-S.: Effect of Silicon and Phosphorus on the Degradation of Polyurethanes, 881
Lin, S. See Zhu, F., 1243
Linossier, I. See Feller, J. F., 779
Linxian, F. See Zushun, X., 530
Liou, J.-S. See Wang, T.-Y., 1838
Liu, D. See Zhang, Z., 2509
Liu, G. See Yang, L., 1067
Liu, W.-M. See Wang, Q.-H., 1394
Liu, X. See Dai, Y., 1685
Liu, X. F.
—; Guan, Y. L.; Yang, D. Z.; Li, Z.; Yao, K. D.: Antibacterial Action of Chitosan and Carboxymethylated Chitosan, 1324
Liu, Y.
—; Jin, Y.; Bu, H.; Luise, R. R.; Bu, J.: Fast Crystallization of Liquid Crystalline Copolyesters Based on Poly(ethylene terephthalate), 497
—; Yan, L.; Heiden, P.; Laks, P.: Use of Nanoparticles for Controlled Release of Biocides in Solid Wood, 458
Liu, Z. See Zhang, Z., 2509
Lonikar, S. V. See Joshi, M. D., 1610
López-Barrón, C. See Saldívar, E., 2380

Lopez-Quintanilla, M. L. See Sánchez-Valdes, S., 1802
Lozano, K.
—; Barrera, E. V.: Nanofiber-Reinforced Thermoplastic Composites. I. Thermoanalytical and Mechanical Analyses, 125
Lu, H.
—; Zhou, J.; He, T.: Diffusion-Limited Kinetics Modeling of One-Step Polyimide Formation, 2052
Lu, J.
—; Jiang, Q.; Zhu, X.; Wang, F.: Microwave Radiation Copolymerization of Dibutyltin Maleate and Allyl Thiourea, 312
Lu, S. See Li, M., 2185, 2192
Lu, Y. See Xiao, C., 1596
Luise, R. R. See Liu, Y., 497
Lusinchi, J. M.
—; Boutevin, B.; Torres, N.; Robin, J. J.: *In Situ* Compatibilization of HDPE/PET Blends, 874
Lutfor, M. R.
—; Sidik, S.; Wan Yunus, W. M. Z.; Rahman, M. Z. A.; Mansor, A.; Haron, M. J.: Synthesis and Characterization of Poly(hydroxamic acid) Chelating Resin from Poly(methyl acrylate)-Grafted Sago Starch, 1256
Luyé, J.-F.
—; Régnier, G.; Le Bot, P.; Delaunay, D.; Fulchiron, R.: PVT Measurement Methodology for Semicrystalline Polymers to Simulate Injection-Molding Process, 302
Lyon, S. B. See Marsh, J., 1563

Ma, C.-C. M.
—; Wang, F.-Y.; Lin, H.-J.; Wu, S.-H.; Yang, J.-C.: Mechanical Properties, Thermal Stability, and Flame Retardance of Novolac-Type Phenolic Resin Blended with Poly(dimethylsiloxaneadipamide), 631
Ma, G.-H.
—; Nagai, M.; Omi, S.: Study on Preparation of Monodispersed Poly(styrene-*co*-*N*-dimethylaminoethyl methacrylate) Composite Microspheres by SPG (Shirasu Porous Glass) Emulsification Technique, 2408
—; See Omi, S., 2200
Mahdavian, A.-R. See Mallakpour, S. E., 1317
Mahendrasingam, A. See Middleton, A. C., 1825
Mahmud, H.
—; Minnery, J.; Fang, Y.; Pham, V. A.; Narbaitz, R. M.; Santerre, J. P.; Matsuura, T.: Evaluation of Membranes Containing Surface Modifying Macromolecules: Determination of the Chloroform Separation from Aqueous Mixtures via Pervaporation, 183
Maillard, B. See Chemin, A., 1297
Maiti, P.
—; Dikshit, A. K.; Nandi, A. K.: Glass-Transition Temperature of Poly(vinylidene fluoride)-Poly(methyl acrylate) Blends: Influence of Aging and Chain Structure, 1541
Maiti, S. See Jana, T., 1273
Maldar, N. N. See Joshi, M. D., 1610; Ubale, V. P., 566
Mallakpour, S. E.
—; Hajipour, A.-R.; Roohipour-Fard, R.: Synthesis of Novel Heterocyclic Polyimides Containing Trimellitimide Acid Moieties, 1716
—; Hajipour, A.-R.; Zadhoush, A.; Mahdavian, A.-R.: Efficient and Novel Method for Surface Oxidation of Polypropylene in the Solid Phase Using Microwave Irradiation, 1317
Mancarella, C. See D'Orazio, L., 143, 2286
Manning, S. C. See Bohn, C. C., Jr., 2398
Mansor, A. See Lutfor, M. R., 1256
Mao, F. C. See Sun, R., 719
Mao, Z.
—; Yang, C. Q.: Polymeric Multifunctional Carboxylic Acids as Crosslinking Agents for Cotton Cellulose: Poly(itaconic acid) and *In Situ* Polymerization of Itaconic Acid, 319
Marcos-Fernández, A. See González, L., 714
Marega, C. See Marigo, A., 375
Marey, H. K. See Ahmed, M. A., 1749
Marigo, A.
—; Marega, C.; Saini, R.; Camurati, I.: Influence of Regioirregular Structural Units on the Crystallization of Isotactic Polypropylene, 375
Mark, J. E. See Zhou, W., 2326
Marsh, J.
—; Scantlebury, J. D.; Lyon, S. B.: Poly(2-allyl)phenylene-oxide Electropolymer Film Growth on Steel, 1563
Marshall, N. See Fearon, P. K., 733
Martin, C. See Middleton, A. C., 1825
Martuscelli, E. See D'Orazio, L., 143, 2286
Masson, J-F.
—; Pelletier, L.; Collins, P.: Rapid FTIR Method for Quantification of Styrene-Butadiene Type Copolymers in Bitumen, 1034
Masuoka, H. See Sato, Y., 1134
Mathakiya, I.
—; Rao, P. V. C.; Rakshit, A. K.: Synthesis and Characterization of Styrene–Acrylic Ester Copolymers, 1513
Mathur, G. N. See Setua, D. K., 646
Matos, V.
—; Mattos Neto, A. G.; Pinto, J. C.: Method for Quantitative Evaluation of Kinetic Constants in Olefin Polymerizations. I. Kinetic Study of a Conventional Ziegler–Natta Catalyst Used for Propylene Polymerizations, 2076
Matsuda, M. See Naiki, M., 1693
Matsui, Y. See Konagaya, S., 517
Matsumoto, A. See Kimura, H., 555, 2331
Matsumura, T. See Naiki, M., 1693
Matsuura, T. See Chowdhury, G., 275; Mahmud, H., 183

Matsuyama, H.
—; Iwatani, T.; Kitamura, Y.; Tearamoto, M.; Sugoh, N.: Formation of Porous Poly(ethylene-*co*-vinyl alcohol) Membrane via Thermally Induced Phase Separation, 2449
—; Iwatani, T.; Kitamura, Y.; Tearamoto, M.; Sugoh, N.: Solute Rejection by Poly(ethylene-*co*-vinyl alcohol) Membrane Prepared by Thermally Induced Phase Separation, 2456
Mattos Neto, A. G. See Matos, V., 2076
Mattoso, L. H. C. See Job, A. E., 1220
Maturana, H. A. See Molina, M. J., 1467
Matynia, T. See Gawdzik, B., 1201
Matzinos, P.
—; Bikiaris, D.; Kokkou, S.; Panayiotou, C.: Processing and Characterization of LDPE/Starch Products, 2548
Mauriello, G. See Bonini, C., 72
McDivitt, J. See Andjelić, S., 742
McGill, W. J. See Hendrikse, K. G., 1309
McManus, N. T. See Parent, J. S., 1618
Meuldijk, J. See Kemmere, M. F., 944
Michel, A. See Pesneau, I., 1556
Middleton, A. C.
—; Duckett, R. A.; Ward, I. M.; Mahendrasingam, A.; Martin, C.: Real-Time FTIR and WAXS Studies of Drawing Behavior of Poly(ethylene terephthalate) Films, 1825
Mikado, T. See Wang, C. L., 974
Minagawa, M.
—; Numa, H.; Ogita, T.; Uchida, H.: Pyrolysis Gas Chromatographic Analysis of Polyacrylonitrile, 473
Mini, E. See Susamma, A. P., 1
Minnery, J. See Mahmud, H., 183
Mirmohseni, A.
—; Hassanzadeh, V.: Application of Polymer-Coated Quartz Crystal Microbalance (QCM) as a Sensor for BTEX Compounds Vapors, 1062
Mishima, S.
—; Kaneoka, H.; Nakagawa, T.: Characterization for Graft Polymerization of Alkyl Methacrylate onto Polydimethylsiloxane Membranes by Electron Beam and Their Permselectivity for Volatile Organic Compounds, 203
Misra, M. See Rout, J., 1169
Miyagi, M. See Konagaya, S., 517
Mo, J. See Li, M., 2185
Mohanty, A. K. See Rout, J., 1169
Mohanty, M. See Samal, R. K., 575
Molina, M. J.
—; Gómez-Antón, M. R.; Rivas, B. L.; Maturana, H. A.; Piérola, I. F.: Removal of Hg(II) from Acid Aqueous Solutions by Poly(N-Vinylimidazole) Hydrogel, 1467
Molyneux, P.
—; "Transition-Site" Model for the Permeation of Gases and Vapors through Compact Films of Polymers, 981
Mondal, MD. I. H.
—; Kai, A.: Control of the Crystal Structure of Microbial Cellulose During Nascent Stage, 1726
Monkman, A. P. See Zhou, J., 2503
Moon, K.-R. See Kim, J.-Y., 608
Moon, S.-J. See Kim, K.-J., 1450
Moore, R. B. See Bohn, C. C., Jr., 2398
Mortaigne, B. See Gautier, L., 2517
Moschiar, S. M. See Stefani, P. M., 1771
Mouzakis, D. E.
—; Papke, N.; Wu, J. S.; Karger-Kocsis, J.: Fracture Toughness Assessment of Poly(ethylene terephthalate) Blends with Glycidyl Methacrylate Modified Polyolefin Elastomer Using Essential Work of Fracture Method, 842
Mukai, H. See Ogawa, T., 1162
Mukhopadhyay, S. K. See Baker, D. A., 1092
Muthumani, N. See Anbarasan, R., 1283
Nabil Esmail, M. See Edali, M., 1787
Nagai, M. See Ma, G.-H., 2408; Omi, S., 2200
Naik, S. D.
—; Ray, W. H.: Particle Morphology for Polyolefins Synthesized With Supported Metallocene Catalysts, 2565
Naiki, M.
—; Fukui, Y.; Matsumura, T.; Nomura, T.; Matsuda, M.: The Effect of Talc on the Crystallization of Isotactic Polypropylene, 1693
Nakagawa, T. See Mishima, S., 203
Nakamura, H.
—; Tachi, K.: Rheological Behavior and Microstructure of Aqueous Suspension of Carboxylated Core-Shell Structured Latex Particle, 1627
Nakamura, T. See Chen, J., 214
Nakamura, Y. See Ikeda, H., 2029; Xu, X., 1958
Nakano, K. See Ikeda, H., 2029; Xu, X., 1958
Nanda, A. K.
—; Jayaseharan, J.; Kishore, K.: Synthesis and Properties of a Novel (Main-Chain)–(Side-Chain) Polymeric Peroxide, 1549
Nandi, A. K. See Maiti, P., 1541
Narbaitz, R. M. See Mahmud, H., 183
Narkis, M. See Segal, E., 760
Narváez, A. See Quijada, R., 221
Nawang, R. See Danjaji, I. D., 29
Nayak, S. K. See Rout, J., 1169
Negulescu, I. I. See Petrovan, S., 396
Ng, L.-T.
—; Guthrie, J. T.; Yuan, Y. J.; Zhao, H.: UV-Cured Natural Polymer-Based Membrane for Biosensor Application, 466
Nicolais, L. See Iannace, S., 1084
Nien, Y.-H. See Gualtieri, G. M., 1653
Nieuwenhuizen, P. J. See Dirksen, A., 1074
Ninan, K. N. See Sekkar, V., 1869
Nishida, A. See Yamamoto, H., 437
Nita, K. See Konagaya, S., 517
Nomura, T. See Naiki, M., 1693

Nonaka, T.
—; Watanabe, T.; Kawabata, T.; Kurihara, S.: Preparation of Thermosensitive and Superabsorbent Polymer Hydrogels from Trialkyl-4-vinylbenzyl Phosphonium Chloride-*N*-isopropylacrylamide-*N,N'*-methylenebisacrylamide Copolymers and Their Properties, 115
Nowacki, R.
—; Kolasinska, J.; Piorkowska, E.: Cavitation during Isothermal Crystallization of Isotactic Polypropylene, 2439
Nowak, H. See Kramer, S., 1278
Nugay, N.
—; Erman, B.: Property Optimization in Nitrile Rubber Composites via Hybrid Filler Systems, 366
Numa, H. See Minagawa, M., 473

Ogawa, T.
—; Mukai, H.; Osawa, S.: Improvement of the Mechanical Properties of an Ultrahigh Molecular Weight Polyethylene Fiber/Epoxy Composite by Corona-Discharge Treatment, 1162
Ogita, T. See Minagawa, M., 473
Oh, N.-W. See Jegal, J., 2471
Ohdaira, T. See Wang, C. L., 974
Ohkawa, K. See Yamamoto, H., 437
Ohtsuka, K. See Kimura, H., 555
Ojeda, C. See Acosta, J. L., 2136
Okor, R. S. See Eichie, F. E., 190
Olley, R. H. See Ismail, Y. S., 1704
Olsson, A.-M.
—; Salmén, L.: Molecular Mechanisms Involved in Creep Phenomena of Paper, 1590
Omi, S.
—; Senba, T.; Nagai, M.; Ma, G.-H.: Morphology Development of 10-μm Scale Polymer Particles Prepared by SPG Emulsification and Suspension Polymerization, 2200
—; See Ma, G.-H., 2408
Ooi, T. L. See Azam Ali, M., 2156
Osawa, S. See Ogawa, T., 1162
Osypiuk, J. See Gawdzik, B., 1201
Ouddane, M.
—; Rancourt, Y.: Sorption and Diffusion of a Brake Fluid in EPDM Elastomers, 1178
Özbelge, T. See Hocaoğlu, Ö., 959
Özkar, S. See Hocaoğlu, Ö., 959

Panayiotou, C. See Matzinos, P., 2548
Pandey, S. S.
—; Takashima, W.; Kaneto, K.: Photocarrier Mobility in Poly(2-methoxyaniline), 1506
Pan, J. See Wang, L., 1188
Pan, Y. See Tao, X., 2258
Pan, Z. See Sun, J., 2245; Zhou, S., 1431
Papaspyrides, C. D.
—; Tingas, S. G.: Effect of Thermal Annealing on Plasticizer Migration in Poly(Vinyl chloride)/Dioctyl Phthalate System, 1780
Papke, N. See Mouzakis, D. E., 842
Parent, J. S.
—; McManus, N. T.; Rempel, G. L.: Selectivity of the $OsHCl(CO)(O_2)(PCy_3)_2$ Catalyzed Hydrogenation of Nitrile–Butadiene Rubber, 1618
Park, D.-S. See Jegal, J., 2471
Park, M. See Kang, B. U., 38
Park, S. See Seo, J., 2121
Park, S.-H. See Kim, K.-J., 1450
Park, S.-J.
—; Seo, M.-K.; Lee, J.-R.: Relationship between Viscoelastic Properties and Gelation in the Epoxy/Phenol-novolac Blend System with N-Benzylpyrazinium Salt as a Latent Thermal Catalyst, 2299
Park, S. Y. See Kim, S. J., 687
Park, Y. H.
—; Cho, C. G.: Synthesis and Characterization of Poly (butylene succinate)-*co*-(butylene terephthalate)]-*b*-poly(tetramethylene glycol) Segmented Block Copolymer, 2067
Pekcan, Ö.
—; Arda, E.; Kesenci, K.; Pişkin, E.: Effects of Aging on Latex Film Formation from Polystyrene Particles: A Photon Transmission Study, 2014
Pekel, F. See Hocaoğlu, Ö., 959
Pelletier, L. See Masson, J-F., 1034
Peng, Y.-X. See Ding, X.-B., 1847
Perng, L. H.
—; Thermal Degradation Mechanism of Poly(ether imide) by Stepwise Py–GC/MS, 1151
Pesneau, I.
—; Grégoire, M.; Michel, A.: Catalytic Aspect of Chemical Modifications of Polymers by Transesterification: NMR Study with Model Compounds, 1556
Petrovan, S.
—; Collier, J. R.; Negulescu, I. I.: Rheology of Cellulosic *N*-Methylmorpholine Oxide Monohydrate Solutions of Different Degrees of Polymerization, 396
Pham, V. A. See Mahmud, H., 183
Picazo-Rada, C. J. See Sánchez-Valdes, S., 1802
Piérola, I. F. See Molina, M. J., 1467
Pillai, C. K. S. See Aigbodion, A. I., 2431
Pimbert, S. See Feller, J. F., 779
Pintauro, P. N. See Tang, H., 49
Pinto, J. C. See Matos, V., 2076
Piorkowska, E. See Nowacki, R., 2439
Pişkin, E. See Pekcan, Ö., 2014
Pizzol, M. D. See Quijada, R., 221
Połowiński, S.
—; Properties of Copolymers: Estimation and Prediction (Note), 1924
Poncin-Epaillard, F. See Audic, J.-L., 1384
Pong, S.-H. See Chiu, S.-H., 1249
Popescu, C. See Wortmann, F.-J., 1054
Pu, B. See Zhu, Y., 572
Pucciariello, R. See Bonini, C., 72
Puig, C. C.
—; Avilés, M. V.; Joskowicz, P.; Díaz B., A.: On the Melting Behavior of Isothermally Crystallized 1-Octene Linear

Low-Density Polyethylene Copolymers, 2022

Qian, X.-F. See Huang, J.-C., 794
Quijada, R.
—; Narváez, A.; Pizzol, M. D.; Liberman, S.; Filho, A. A.; Galland, G. B.: Structural Evaluation of Copolymers of Ethylene and 1-Octadecene by Using the Temperature Rising Elution Fractionation Technique, 221

Rahman, M. Z. A. See Lutfor, M. R., 1256
Rakshit, A. K. See Mathakiya, I., 1513
Ramos de Valle, L. F. See Flores-Gallardo, S. G., 1497
Rancourt, Y. See Ouddane, M., 1178
Rao, P. V. C. See Mathakiya, I., 1513
Ray, M. C. See Samal, R. K., 575
Ray, W. H. See Araujo, O., 2360; Beers, K. J., 246, 266; Naik, S. D., 2565
Reedijk, J. See Dirksen, A., 1074
Régnier, G. See Luyé, J.-F., 302
Rek, V. See BajsiĆ, E. G., 864
Rempel, G. L. See Parent, J. S., 1618
Ren, Z.
—; Shanks, R. A.; Rook, T. J.: Crystallization and Melting of Highly Filled Polypropylene Composites Prepared with Surface-Treated Fillers, 1942
Reyes, P. See Gomez, C. G., 920
Reyx, D. See Audic, J.-L., 1384
Rhee, H.-K. See Ha, K.-S., 2480
Ribes-Greus, A. See Contat-Rodrigo, L., 1101
Richardson, M. O. W. See Ismail, Y. S., 1704
Riffle, J. S. See Kang, H. M., 1042
Rimlinger, T. See Fenouillot, F., 2038
Rintoul, L. See Lepage, M., 1572
Rivas, B. L. See Gomez, C. G., 920; Molina, M. J., 1467
Roberts, G. W. See Goodner, M. D., 928
Robin, J. J. See Lusinchi, J. M., 874; Torres, N., 1816
Rocha, M. C. G. See Da Silva, A. L. N., 1634
Rochefort, W. E. (Skip) See Xu, B., 418
Rodríguez, A. See Acosta, J. L., 2136; González, L., 714
Rodríguez, M. See Vilas, J. L., 447
Roohipour-Fard, R. See Mallakpour, S. E., 1716
Rook, T. J. See Ren, Z., 1942
Rout, J.
—; Tripathy, S. S.; Nayak, S. K.; Misra, M.; Mohanty, A. K.: Scanning Electron Microscopy Study of Chemically Modified Coir Fibers, 1169
Roy, B. C. See Jana, T., 1273
Ruckenstein, E.
—; Yin, W.: Polyaniline Co-Doped with Camphor Sulfonic and Hydrochloric Acids by Chemical Oxidation in Aqueous Solution, 80
—; See Yin, W., 86

Saad, A. L. G.
—; El-Sabbagh, S.: Compatibility Studies on Some Polymer Blend Systems by Electrical and Mechanical Techniques, 60
Sagar, A. D. See Ubale, V. P., 566
Saini, R. See Marigo, A., 375
Sainte Beuve, J. See Bonfils, F., 2354
Sajjadi, S.
—; Brooks, B. W.: Semibatch Emulsion Polymerization of Butyl Acrylate. II. Effects of Emulsifier Distribution, 582
Saldívar, E.
—; Araujo, O.; Giudici, R.; López-Barrón, C.: Modeling and Experimental Studies of Emulsion Copolymerization Systems. II Styrenics, 2380
Saldivar, E. See Araujo, O., 2360
Salmén, L. See Olsson, A.-M., 1590
Salmiah, A. See Azam Ali, M., 2156
Samal, R. K.
—; Acharya, S.; Mohanty, M.; Ray, M. C.: FTIR Spectra and Physico-chemical Behavior of Vinyl Ester Participated Transesterification and Curing of Jute, 575
Sánchez-Valdes, S.
—; Picazo-Rada, C. J.; Lopez-Quintanilla, M. L.: Polyethylene Grafted Maleic Anhydride to Improve Wettability of Liquid on Polyethylene Films, 1802
—; See Flores-Gallardo, S. G., 1497
Santerre, J. P. See Mahmud, H., 183
Saraydin, D.
—; Karadağ, E.; Güven, O.: Use of Superswelling Acrylamide/Maleic Acid Hydrogels for Monovalent Cationic Dye Adsorption, 1809
Sato, T.
—; Katayose, T.; Seno, M.: Thermal Polymerization and Photopolymerization of Ethyl Methacrylate with Bis(cyclopentadienyl)titanium Dichloride in a Water–Methanol Mixture: Formation of a Polymer with Novel Solubility Characters, 166
Sato, Y.
—; Yurugi, M.; Yamabiki, T.; Takishima, S.; Masuoka, H.: Solubility of Propylene in Semicrystalline Polypropylene, 1134
Sawada, H.
—; Tamada, D.; Kawase, T.; Hayakawa, Y.; Lee, K.; Kyokane, J.; Baba, M.: Synthesis and Properties of Novel Fluoroalkyl End-Capped Oligomers Containing Phosphorus Segments, 228
Scantlebury, J. D. See Marsh, J., 1563
Scuracchio, C. See Da Silva, A. L. N., 1634
Sefain, M. Z. See Hassan, M. L., 1965
Segal, E.
—; Haba, Y.; Narkis, M.; Siegmann, A.: Polyaniline/PVAc Blends: Variation with Time of Structure and Conductivity of Films Cast from Aqueous Dispersions, 760
Seidler, S. See Grellmann, W., 2317

Sekkar, V.
—; Ambika Devi, K.; Ninan, K. N.: Rheo-kinetic Evaluation on the Formation of Urethane Networks Based on Hydroxyl-Terminated Polybutadiene, 1869
Sen, K. See Bajaj, P., 1640
Şen, M.
—; Güven, O.: The Preparation of Ultra Narrow Molecular Weight Distribution Poly(ethylene glycol)s by Fractional Crystallization from Solution, 1999
Senba, T. See Omi, S., 2200
Seno, M. See Sato, T., 166
Senoo, Y. See Yamamoto, H., 437
Seo, J.
—; Jeon, J.; Lee, C.; Park, S.; Han, H.: Water Sorption Behaviors of the BPDA-Based Polyimide Films Depending upon the Structural Isomers of Diamine, 2121
Seo, K. H. See Jang, S. Y., 1336
Seo, M.-K. See Park, S.-J., 2299
Seppälä, J. See Kylmä, J., 1531
Setua, D. K.
—; Mathur, G. N.: Thermal Analysis of Elastomer Composites, 646
Seyfzadeh, B.
—; Collier, J. R.: Elongational Rheology of Polyethylene Melts, 2170
Sha, Y.-A. See Hsiue, G.-H., 342
Shahoo, S. See Gupta, K. C., 767
Shan, A. See Zhang, H., 1345
Shanks, R. A. See Ren, Z., 1942
Shao, Z. See Chen, X., 1144
Shen, J. See Zhu, Y., 572
Sheu, H.-C. See Wang, T.-Y., 1838
Shi, D. See Yang, J., 535
Shiao, S.-J. See Hsiue, G.-H., 342
Shieh, Y.-T.
—; Liao, T.-N.; Chang, F.-C.: Reactive Compatibilization of PP/PBT Blends by a Mixture of PP-*g*-MA and Epoxy Resin, 2272
Shimada, S. See Inagaki, N., 808
Shirai, H. See Watanabe, M., 1121
Shiraishi, M. See Hatori, H., 836
Shishoo, R. See Taubner, V., 2128
Shiyuan, C. See Zushun, X., 530
Shu, Y.-C. See Lin, M.-F., 881
Sidik, S. See Lutfor, M. R., 1256
Siegmann, A. See Segal, E., 760
Silver, F. H.
—; Christiansen, D. L.; Snowhill, P. B.; Chen, Y.: Transition from Viscous to Elastic-Based Dependency of Mechanical Properties of Self-Assembled Type I Collagen Fibers, 134
Simeonova, A. See Godjevargova, T., 283
Simonsen, J. See Xu, B., 418
Sinha, S. See Jayaswal, N., 1735
Snowhill, P. B. See Silver, F. H., 134
So, W.-W. See Kim, K.-J., 1450
Soares, B. G. See Jansen, P., 193
Somashekar, R. See Annadurai, V., 1979
Song, M.-D. See Tang, G.-L., 21
Song, S.-H. See Kim, J.-Y., 621
Song, X.
—; Zheng, S.; Huang, J.; Zhu, P.; Guo, Q.: Miscibility and Mechanical Properties of Tetrafunctional Epoxy Resin/Phenolphthalein Poly(ether ether ketone) Blends, 598
Spathis, G.
—; Kontou, E.: Mechanism of Plastic Deformation for Polycarbonate Under Compression by a Laser Extensometer Technique, 2534
Springer, H. See Kramer, S., 1278
Sreekumar, T. V. See Bajaj, P., 1640
Stefani, P. M.
—; Moschiar, S. M.; Aranguren, M. I.: Curing Kinetics of Epoxy-Urethane Copolymers, 1771
Strumia, M. C. See Gomez, C. G., 920
Subramanya, G. See Annadurai, V., 1979
Sue, H.-J. See Xia, Z., 2060
Sugito, H. See Kimura, H., 555
Sugoh, N. See Matsuyama, H., 2449, 2456
Suh, K.-D. See Kim, J.-Y., 608, 621
Sullivan, V. D. See Vahdat, N., 1265
Sumida, K. See Tsuji, H., 1582
Sun, J.
—; Pan, Z.; Yang, S.: A Novel Lanthanocene Catalyst System for the Polymerization of Methyl Methacrylate $Me_2Si(CpSiMe_3)_2NdCl$–*n*-BuMgCl, 2245
Sun, M. C.
—; Chang, Y. F.; Yu, T. L.: Microgelation of Unsaturated Polyester Resins in the Presence of Poly(vinyl acetate) by Static and Dynamic Light Scattering, 1439
Sun, R.
—; Tomkinson, J.; Mao, F. C.; Sun, X. F.: Physicochemical Characterization of Lignins from Rice Straw by Hydrogen Peroxide Treatment, 719
Sun, X. F. See Sun, R., 719
Sunami, M. See Ikeda, H., 2029; Xu, X., 1958
Supaphol, P.
—; Unbiased Evaluation of Literature Data on Equilibrium Melting Temperature and Enthalpy of Fusion of Perfectly Syndiotactic Polypropylene, 1603
Susamma, A. P.
—; Varghese, T.; Mini, E.; Kuriakose, A. P.: Studies on Novel Binary Accelerator System in Sulfur Vulcanization of Natural Rubber, 1
Suzuki, M. See Watanabe, M., 1121
Suzuki, R. See Wang, C. L., 974
Sylla, S. See Bonfils, F., 2354

Tachi, K. See Nakamura, H., 1627
Taguchi, S. See Kimura, H., 2331
Tai, H.-J.
—; Wang, J. B.; Chen, J.-H.; Chou, H.-L.: Synthesis and Properties of Vinyl Siloxane Modified Cresol Novolac Epoxy for Electronic Encapsulation, 652
Takashima, W. See Pandey, S. S., 1506
Takezawa, Y. See Akatsuka, M., 2164
Takishima, S. See Sato, Y., 1134
Tam, K. C. See Tan, H., 1486
Tamada, D. See Sawada, H., 228
Tan, H.
—; Tam, K. C.; Jenkins, R. D.: Network Structure of a Model

HASE Polymer in Semidilute Salt Solutions, 1486
Tang, G.-L.
—; Song, M.-D.; Hao, G.-J.; Guo, T.-Y.; Zhang, B.-H.: Studies on the Preparation of Stable and High Solid Content Emulsifier-Free Latexes and Characterization of the Obtained Copolymers for MMA/BA System with the Addition of AHPS, 21
Tang, H.
—; Pintauro, P. N.: Polyphosphazene Membranes. IV. Polymer Morphology and Proton Conductivity in Sulfonated Poly bis(3-methylphenoxy)phosphazene} Films, 49
Tang, L.-G.
—; Hon, D. N.-S.: Chelation of Chitosan Derivatives with Zinc Ions. II. Association Complexes of Zn^{2+} onto *O,N*-Carboxymethyl Chitosan, 1476
Tao, X.
—; Pan, Y.; Zheng, Q.; Yi, X.-S.: Study on Time-Dependent Resistance of Carbon Black-Loaded High-Density Polyethylene Composites During the Isothermal Course, 2258
Tasaka, S. See Inagaki, N., 808
Taubner, V.
—; Shishoo, R.: Influence of Processing Parameters on the Degradation of Poly(L-lactide) During Extrusion, 2128
Tearamoto, M. See Matsuyama, H., 2449, 2456
Teghil, R. See Bonini, C., 72
Terrisse, J. See Fenouillot, F., 2038
Thakore, I. M.
—; Desai, S.; Devi, S.: Compatibility and Biodegradability of PMMA–Starch Cinnamate Blends in Various Solvents, 488
Tinçer, T. See Akinay, E., 816; Demir, T., 827
Tingas, S. G. See Papaspyrides, C. D., 1780
Tobing, S. D.
—; Klein, A.: Molecular Parameters and Their Relation to the Adhesive Performance of Acrylic Pressure-Sensitive Adhesives, 2230
—; Klein, A.: Molecular Parameters and Their Relation to the Adhesive Performance of Emulsion Acrylic Pressure-Sensitive Adhesives. II. Effect of Crosslinking, 2558
Tofani, D. See Bonini, C., 72
Togashi, H. See Wang, C. L., 974
Tomkinson, J. See Sun, R., 719
Torres, N.
—; Robin, J. J.; Boutevin, B.: Chemical Modification of Virgin and Recycled Poly(ethylene terephthalate) by Adding of Chain Extenders During Processing, 1816
—; See Lusinchi, J. M., 874
Trezza, T. A.
—; Krochta, J. M.: Specular Reflection, Gloss, Roughness and Surface Heterogeneity of Biopolymer Coatings, 2221
Tripathy, S. S. See Rout, J., 1169
Tsen, W.-C. See Lin, M.-F., 881
Tsiang, R. C.-C. See Wang, T.-Y., 1838
Tsuchida, K.
—; Bell, J. P.: New Epoxy/Episulfide Resin System for Electronic Applications I. Curing Mechanism and Properties, 1359
Tsuji, H.
—; Sumida, K.: Poly(L-lactide): V. Effects of Storage in Swelling Solvents on Physical Properties and Structure of Poly(L-lactide), 1582
Tsukada, M.
—; Arai, T.; Winkler, S.; Freddi, G.; Ishikawa, H.: Physical Properties of Silk Fibers Grafted with Vinyltrimethoxysilane, 1764
—; See Arai, T., 1756
Tung, M. A. See Zhang, Z., 1949
Tzamalis, G. See Zhou, J., 2503

Ubale, V. P.
—; Sagar, A. D.; Maldar, N. N.: Synthesis and Characterization of Aromatic–Aliphatic Polyamides, 566
Uchida, H. See Minagawa, M., 473
Unroe, M. R. See Zhou, W., 2326
Utsunomiya, T. See Chen, J., 214

Vahdat, N.
—; Sullivan, V. D.: Estimation of Permeation Rate of Chemicals Through Elastometric Materials, 1265
Van de Grampel, R. D.
—; Van Geldrop, J.; Laven, J.; Van der Linde, R.: P $CF_3(CF_2)_5CH_2MA$-*co*-MMA} and P $CF_3(CF_2)_5CH_2MA$-*co*-BA} Copolymers: Reactivity Ratios and Surface Properties, 159
Van den Brink, M.
—; Hansen, J.-F.; De Peinder, P.; Van Herk, A. M.; German, A. L.: Measurement of Partial Conversions During the Solution Copolymerization of Styrene and Butyl Acrylate Using On-Line Raman Spectroscopy, 426
Van der Linde, R. See Van de Grampel, R. D., 159
Van der Want, J. J. L. See Huijs, F. M., 900
Van Geldrop, J. See Van de Grampel, R. D., 159
Van Herk, A. M. See Van den Brink, M., 426
Varghese, T. See Susamma, A. P., 1
Vasudevan, T. See Anbarasan, R., 1283
Vatistas, G. H. See Edali, M., 1787
Vaz, D. O. See Job, A. E., 1220
Vercauteren, F. F. See Huijs, F. M., 900
Verdu, J. See Gautier, L., 2517
Vetrecin, R. See Andjelić, S., 742
Viggiani, L. See Bonini, C., 72
Viggiano, D. See Bonini, C., 72
Vilas, J. L.
—; Laza, J. M.; Garay, M. T.; Rodríguez, M.; León, L. M.: Unsaturated Polyester Resins Cure: Kinetic, Rheologic, and Mechanical-Dynamical Analysis. I. Cure Kinetics by DSC and TSR, 447
Vladkova, T. G.
—; Modification of Poly(styrene) by Reactive Blending with Nitrificated Rubber, 638

Waitkus, P. A. See Hiltz, J. A., 385
Wan Yunus, W. M. Z. See Lutfor, M. R., 1256
Wang, C. See Zhang, Z., 2509
Wang, C. L.
—; Kobayashi, Y.; Togashi, H.; Hirata, K.; Suzuki, R.; Ohdaira, T.; Mikado, T.; Hishita, S.: Variable-Energy Positron Lifetime Study of Silicon-Oxide Films Plasma Deposited from Hexamethyldisiloxane and Oxygen Mixtures, 974
Wang, F. See Lu, J., 312
Wang, F.-Y. See Ma, C.-C. M., 631
Wang, G. See Li, Y., 674, 680
Wang, J. See Zhang, H., 1345, 1352
Wang, J. B. See Tai, H.-J., 652
Wang, L.
—; Zhang, P. Y.; Feng, L. F.; Ji, B.; Yuan, Y. L.; Pan, J.; Ye, C. Y.; Jiang, S.; Feng, L. X.: ESR Studies on Vanadocene/Cocatalyst Systems for Ethylene Polymerization, 1188
—; See Li, M., 2185
Wang, Q. See Zhu, F., 1243
Wang, Q.-H.
—; Xue, Q.-J.; Liu, W.-M.; Chen, J.-M.: Tribological Characteristics of Nanometer Si_3N_4 Filled Poly(ether ether ketone) under Distilled Water Lubrication, 1394
Wang, R. See Li, Y., 350
Wang, T.-Y.
—; Tsiang, R. C.-C.; Liou, J.-S.; Wu, J.; Sheu, H.-C.: Preparation and Characterization of a Star-Shaped Polystyrene-*b*-Poly(ethylene-*co*-propylene) Block Copolymer as a Viscosity Index Improver of Lubricant, 1838
Wang, Y. See Yang, J., 535; Zhang, H., 1352
Wangsoub, S. See Amornsakchai, T., 2494
Ward, I. M. See Middleton, A. C., 1825
Watanabe, M.
—; Suzuki, M.; Hirako, Y.; Shirai, H.; Hirai, T.: Hysteresis in Bending Electrostriction of Polyurethane Films, 1121
Watanabe, T. See Nonaka, T., 115
Wei, H.-F. See Hsiue, G.-H., 342
Wen, T.-C. See Anbarasan, R., 1283
Weng, Z. See Zhou, S., 1431
Whang, H. S. See Lim, D.-W., 1423
Whiteman, D. J. See Fearon, P. K., 1986
Whitney, R. A. See Clark, D. C., 96
Whittaker, A. K. See Lepage, M., 1572
Winkler, S. See Arai, T., 1756; Tsukada, M., 1764
Wortmann, F.-J.
—; Augustin, P.; Popescu, C.: Temperature Dependence of the Water-Sorption Isotherms of Wool, 1054
Wu, J. See Wang, T.-Y., 1838
Wu, J. S. See Mouzakis, D. E., 842
Wu, K. H.
—; Chang, T. C.; Yang, J. C.; Chen, H. B.: Organic–Inorganic Hybrid Materials. II. Chain Mobility and Stability of Polysiloxaneimide–Silica Hybrids, 965
Wu, Q.
—; Zhang, L.: Structure and Properties of Casting Films Blended with Starch and Waterborne Polyurethane, 2006
Wu, S.-H. See Ma, C.-C. M., 631
Wu, Y.
—; Duan, H.; Yu, Y.; Zhang, C.: Preparation and Performance in Paper Coating of Silicone-Modified Styrene–Butyl Acrylate Copolymer Latex, 333
Wu, Z. See Li, M., 2185, 2192

Xia, Z.
—; Sue, H.-J.; Hsieh, A. J.: Impact Fracture Behavior of Molecularly Orientated Polycarbonate Sheets, 2060
Xiao, C.
—; Lu, Y.; Gao, S.; Zhang, L.: Characterization of Konjac Glucomannan–Gelatin Blend Films, 1596
Xu, B.
—; Simonsen, J.; Rochefort, W. E. (Skip): Creep Resistance of Wood-filled Polystyrene/High-Density Polyethylene Blends, 418
Xu, J. See Xu, X., 1958
Xu, X.
—; Xu, J.; Chen, L.; Sunami, M.; Nakano, K.; Nakamura, Y.; Iide, T.: Nonisothermal Crystallization Kinetics of Ethylene–Butene Copolymer/Low-density Polyethylene Blends, 1958
Xu, X. See Guan, R., 1456
Xue, Q.-J. See Wang, Q.-H., 1394

Yamabiki, T. See Sato, Y., 1134
Yamada, Y. See Hatori, H., 836
Yamaguchi, M. See Abe, S., 2146
Yamamoto, H.
—; Horita, C.; Senoo, Y.; Nishida, A.; Ohkawa, K.: Polyion Complex Fiber and Capsule Formed by Self-Assembly of Poly-L-lysine and Gellan at Solution Interfaces, 437
Yan, D. See Li, Y., 674, 680
Yan, H. See Li, M., 2185, 2192
Yan, L. See Liu, Y., 458
Yang, C. See Li, Y., 350
Yang, C. Q. See Mao, Z., 319
Yang, D. Z. See Liu, X. F., 1324
Yang, H.
—; Lee, L. J.: Comparison of Unsaturated Polyester and Vinylester Resins in Low Temperature Polymerization, 1230
—; See Chen, X., 1144
Yang, J.
—; Yao, Z.; Shi, D.; Huang, H.; Wang, Y.; Yin, J.: Efforts to Decrease Crosslinking Extent of Polyethylene in a Reactive Extrusion Grafting Process, 535
Yang, J.-C. See Ma, C.-C. M., 631
Yang, J. C. See Wu, K. H., 965
Yang, L.
—; Zhang, L.; Liu, G.; Gao, J.; Yang, S.; Yang, M.; Jin, R.: Synthesis and Thermoanalysis of Emulsion Terpolymers of *N*-Phenylmaleimide, Styrene, and Acrylonitrile, 1067
Yang, M. See Yang, L., 1067

Yang, S. See Sun, J., 2245; Yang, L., 1067
Yao, K. D. See Liu, X. F., 1324
Yao, Z. See Yang, J., 535
Ye, C. Y. See Wang, L., 1188
Ye, H. See Li, M., 2192
Yee, A. F. See Lee, J., 1371
Yeh, J.-T.
—; Chang, S.-S.: Influence of Two-Stage Drawing Conditions on Ultradrawing Behavior of Gel Films of Ultrahigh-Molecular-Weight Polyethylene and Low-Molecular-Weight Polyethylene Blends, 1890
—; See Huang, W.-K., 662
Yeom, C. K.
—; Lee, S. H.; Lee, J. M.: Pervaporative Permeations of Homologous Series of Alcohol Aqueous Mixtures Through a Hydrophilic Membrane, 703
Yi, X.-S. See Tao, X., 2258
Yin, J. See Huang, J.-C., 794; Yang, J., 535
Yin, W.
—; Ruckenstein, E.: A Water-Soluble Self-Doped Conducting Polypyrrole-Based Copolymer, 86
—; See Ruckenstein, E., 80
Yoo, K.-Y. See Ha, K.-S., 2480
Yoon, K.-J. See Lim, D.-W., 1423
Yoon, T. H. See Kang, H. M., 1042
Yu, R. See Hong, X., 1195
Yu, T. L. See Sun, M. C., 1439
Yu, X. See Chen, H., 295
Yu, Y. See Wu, Y., 333
Yuan, W.-Y. See Lee, W.-F., 1675
Yuan, Y. J. See Ng, L.-T., 466
Yuan, Y. L. See Wang, L., 1188
Yurugi, M. See Sato, Y., 1134

Zadhoush, A. See Mallakpour, S. E., 1317
Zaidi, N. A. See Zhou, J., 2503
Zhang, B.-H. See Tang, G.-L., 21
Zhang, C. See Li, M., 2192; Wu, Y., 333
Zhang, D.-M. See Huang, J.-C., 794
Zhang, G. See Zhang, Z., 2509
Zhang, H.
—; Wang, J.; Li, J.; Cao, S.; Shan, A.: Toughened Polypropylene with Balanced Rigidity. III. Compositions and Mechanical Properties, 1345
—; Wang, J.; Cao, S.; Wang, Y.: Toughened Polypropylene with Balanced Rigidity. IV. Morphology, Crystallization Behavior, and Thermal Properties, 1352
Zhang, J. See Zhu, Y., 572
Zhang, L. See Wu, Q., 2006; Xiao, C., 1596; Yang, L., 1067
Zhang, L.-M.
—; Preparation and Anti-Clay-Swelling Ability of New Water-Soluble Cellulose Derivatives Containing Quaternary Ammonium Groups, 1416
Zhang, P. Y. See Wang, L., 1188
Zhang, W.-C. See Ding, X.-B., 1847
Zhang, Z.
—; Lim, L.-T.; Tung, M. A.: Limonene Transport and Mechanical Properties of EVOH and Nylon 6,6 Films as Influenced by RH, 1949
—; Zhang, G.; Wang, C.; Liu, D.; Liu, Z.; Chen, X.: Chlorohydrin Water-Swellable Rubber Compatibilized by an Amphiphilic Graft Copolymer. III. Effects of PEG and PSA on Water-Swelling Behavior, 2509
Zhao, H. See Ng, L.-T., 466
Zhaohui, W.
—; Zhenya, G.: A Study on Novel Waterproof and Moisture-Permeable Poly(vinylidene Fluoride) Micropore Membrane-Coated Fabrics, 801
Zheng, Q. See Tao, X., 2258
Zheng, S. See Song, X., 598
Zheng, Z.-H. See Ding, X.-B., 1847
Zhenya, G. See Zhaohui, W., 801
Zhou, J.
—; Tzamalis, G.; Zaidi, N. A.; Comfort, N. P.; Monkman, A. P.: Effect of Thermal Aging on Electrical Conductivity of the 2-Acrylamido-2-Methyl-1-Propanesulfonic Acid-Doped Polyaniline Fiber, 2503
—; See Andjelić, S., 742
—; See Lu, H., 2052
Zhou, M.-H.
—; Hoang, T.; Kim, I.-G.; Ha, C.-S.; Cho, W.-J.: Synthesis and Properties of Natural Rubber Modified with Stearyl Methacrylate and Divinylbenzene by Graft Polymerization, 2464
Zhou, S.
—; Weng, Z.; Huang, Z.; Pan, Z.: Effects of Water Solubility of Acrylonitrile on Vinylidene Chloride/Acrylonitrile/Styrene Suspension Polymerization, 1431
Zhou, W.
—; Mark, J. E.; Unroe, M. R.; Arnold, F. E.: Toughening of a High-Temperature Polymer by the Sol–Gel, *In Situ* Generation of a Rubbery Silica–Siloxane Phase, 2326
Zhu, F.
—; Wang, Q.; Li, H.; Lin, S.: Novel Monotitanocene and Methylaluminoxane Catalyst for Syndiospecific Polymerization of Styrene, 1243
Zhu, P. See Song, X., 598
Zhu, X. See Lu, J., 312
Zhu, Y.
—; Pu, B.; Zhang, J.; Shen, J.: Synthesis of Anti-Salt Absorbent Resins and Studies of Reaction Mechanism (Note), 572
Zhu, Z.-K. See Huang, J.-C., 794
Zimbardi, F. See Bonini, C., 72
Zohuriaan-Mehr, M. J.
—; Optimized Synthesis of Styrenic Tackifying Resins, 2109
Zushun, X.
—; Changfeng, Y.; Shiyuan, C.; Linxian, F.: The Inverse Emulsion Polymerization of Acrylamide Using Poly(Methyl Methacrylate)-Graft-Polyoxyethylene as the Stabilizer, 530

Journal of Applied Polymer Science

Subject Index—Volume 79

Abrasive, 1336
Absorbable polymers, 742
Absorption–desorption, 504
Ac impedance, 350
Acetic acid, 1450
Acetobacter xylinum, 1726
Achievable draw ratios (D_{ra}), 1890
Acrylamide, 530
Acrylate, 21
Acrylate methacrylates, 190
Acrylic, 2230, 2558
Acrylic acid, 535, 1497
Acrylic acid-doped polyaniline, HCl-doped polyaniline, 1994
Acrylic esters, 1513
Acrylonitrile, 767, 1067, 1273, 1423, 1431
Acrylonitrile (AN), 1640
Acrylonitrile copolymer, 283
Acrylonitrile–butadiene rubber, 1127
Activated process, 981
Activation energy of degradation, 965
Actuator, 1121
Adhesive bond strength, 1525
Adsorption, 283, 1127, 1675, 1809
Aging, 842, 959, 1541, 2014
Alkoxysilane, 1852
3-Allyloxy-2-hydroxyl-propanesulfonic salt (AHPS), 21
α-Methylstyrene, 479
α-Methylstyrene, 2109
Aluminum chloride, 2109
Amidinothiourea, 1
Amines, 1074
Aminoethylaminopropyl-substituted polydimethylsiloxane, 295
Ammonia vapor sensor, 1994
Amphipathic copolymer, 530
Amphiphilic, 1847
Amphiphilic networks, 621
Amphiphilic polyurethane networks, 608
AN–IA system, 1640
AN–MAA system, 1640
Aniline camphorsulfonate, 80
Aniline hydrochloride, 80
Anion exchange resin, 1735
Anisotropy, 2060
Antibacterial activity, 115, 1324
Antibodies, 9
Antifog films, 1802
Anti-HIV-1 activity, 228
Anti-salt absorbent resins, 572
Antistatic, 900
Aqueous coating systems, 190
Aqueous dispersion, 760
Aqueous organic mixtures, 1450
Aqueous solutions, 350
Aqueous-based polyurethane, 662
Aromatic diamines, 1610
Aromatic soluble polyamides, 566
Associative polymers, 1486
Autoacceleration, 1549
Average molecular weight, 2109
Axial ratio, 134
Aziridinyl phosphazene, 662
Azo, 687
Azo initiators, 337

Bagasse, 1965
Balanced rigidity, 1345, 1352
Bending electrostriction, 1121
Benzoxazine, 406, 555, 2331
Binary accelerator system, 1
Binding capacity, 1256
Biodegradable, 2067
Biodegradable composites, 1084
Biodegradable film, 1273
Biodegradable films, 29
Biodegradable polymer, 2006
Biodegradation, 1025
Biopolymer coatings, 2221
Biosensor, 466
Bis (4-carboxyphenyl) 4-benzamide) dimethylsilane, 1610
2,5-Bis(4-carboxy methylene phenyl)-3,4-diphenyl-thiophene, 566
Bis(cyclopentadienyl)titanium dichloride, 166
Bisoxazoline, 2331
Bisphenol A, 2331
Bisphenol-A, 1207
Bistriazolinediones, 1716
Bitumen, 1034
Blend, 2006
Blend compatibilization, 2398
Blend film, 1596
Blends, 60, 488, 598, 760, 842, 1034, 1531, 1541, 1634, 1958, 1986, 2136, 2286
Block copolymer, 1838
Blowing agents, 696
Bombyx mori silk, 1756, 1764
BPDA-based polyimide films, 2121
Brake fluid, 1178
Brittle-to-tough transition, 9, 2317
BTEX compounds, 1062
Butadiene copolymer, 1034
Butyl acrylate, 333, 582

Capillary extrusion, 2170
Capsule, 437
Carbon black, 90, 2340
Carbon fiber, 1042
Carbonization, 1151
Carboxylic acid, 1207
Carboxymethyl cellulose, 1787
Carboxymethylated chitosan, 1324
Catalysis, 1074
Catalyst, 2076
Catalyst activity, 361
Catalytic, 1618
Cationic dyes, 1809
Cationic latent thermal initiator, 2299
Cationic polymerization, 2109
Cationic polymers, 1416
Cavitation, 2439
CB, 779
Cellulase, 2543
Cellulose, 319, 767, 1860
Cellulose derivatives, 1416
Cellulose dissolution, 396
Cellulose solution, 396
Ceric ion-initiated grafting, 767
Chain extenders, 1816
Chain transfer with hydrogen, 356
Charged shielding, 1486
Chelating resin, 1256
Chelation, 1476
Chemical behavior, 575
Chemical composition distribution, 221
Chemical modification, 283, 1756, 1816

Chemical modifications, 1735
Chemical oxidative polymerization, 80
Chemical stability, 2471
Chemical synthesis, 1994
Chemiluminescence, 1929, 2309
Chemiluminescence (CL), 733, 1986
Chitosan, 1144, 1324
Chlorine resistance, 517
Chlorobutyl, 1309
Chlorohydrin rubber, 2509
Chlorothalonil, 458
Clay-hydration inhibitor, 1416
Cluster structure, 49
Coagent for grafting, 1401
Coated fabrics, 801
Coated paper, 333
Coating, 1220
Co-doping, 80
Coefficient of thermal expansion, 289, 1902
Co-gelatin film, 1749
Coir fiber, 1169
Cold plasma, 1384
Collagen fibrils, 134
Compatibility studies, 60
Compatibilization, 193, 874
Composite, 366, 385, 418, 959, 1162, 1220, 1336, 1942
Composite membrane, 2471
Composite microspheres, 2408
Composites, 1704
Compositions, 1345
Compressive strength, 2494
Condensation polymerization, 246, 266, 1195
Conducting polymers, 1220
Conductive polymer composites, 2258
Conductivity, 760, 1994
Cone calorimetry, 662
Contact angle, 228, 1497, 2251
Continuous reactor, 2038
Controlled drug release, 2349
Controlled release, 458
Copolymer, 1958
Copolymerization, 312, 426
Copolymers, 159, 221, 1513, 1640, 1924
Core-shell latex, 900
Core-shell particle, 1627
Corona-discharge treatment, 1162
Costabilizer, 2029
Cotton, 319
Counterdiffusion (penetration), 1780
Crack opening displacement, 9
Crack propagation, 2517
Crack resistance curve, 2317
Crease recovery, 1764
Creep, 418, 1590
Crosslinked polyacrylate, 2509
Crosslinked polyethylene, 2146
Crosslinked polymethylmethacrylate-acrylic acid copolymers, 1653
Crosslinker–initiators, 1195
Crosslinking, 319, 535, 1092, 1384, 1618, 2349
Crosslinking density, 652
Cryoscopy, 2431
Crystalline morphology, 1025
Crystalline orientation, 1693
Crystallinity, 1134, 1144, 1994, 2543
Crystallization, 143, 302, 375, 497, 742, 779, 1942, 2022, 2146, 2286, 2439, 2449, 2456
Crystallization behavior, 1352
Crystallization kinetics, 1958
Cuprammonium rayon, 2543
Curatives, 1929
Cure, 385, 406
Cure characteristics, 1
Cured resin, 2331
Curing, 662
Curing kinetics, 1771
Curing rates, 214
Curing reaction, 447
Curing reaction rate, 555
Cyanoethylation, 1965
Cyclic voltammetry, 1283
Cyclic voltammograms, 350

D'Arcy-Watt model, 1054
Defects, 375
Deformation, 2534
Degradable low-density polyethylene, 2309
Degradation, 881, 965
Degradation mechanism, 473
Degradation products, 1101
Degree of polymerization, 396
Degree of sulfonation, 1685
Delamination, 2164
Derivatization, 2264
Desorption, 1265
Devulcanization, 2340
Diaminodiphenylsulfone, 517
Dibutyl tin oxide, 1556
Dicyandiamide, 1359
Dicyclopentadiene, 342
Dielectric constant, 1749
Dielectric property, 1902
Dielectric relaxation, 1278, 1852
Diels–Alder-ene polymerization, 1716
Differential scanning calorimetry, 680, 1439, 2136, 2354
Differential scanning calorimetry (DSC), 733
Diffusion, 696, 1178
Diffusion coefficient, 1265, 2121
Diffusion control, 1771
Diffusion-limited kinetics modeling, 2052
Diisocyanate, 959, 1756
Dilatometry, 337
Direct polyamidation, 566
Disorder, 1506
Dispersion, 1929
Disproportionation, 479
Dissolution rate, 1525
Disulfonyl azides, 1092
Ditrimethylol propane tetraacrylate, 1877
DMAc/LiCl, 1423
DMF–SO_3 complex, 1423
Dodecylbenzensulfonic acid, 108
Dopamine sensor, 327
Doping sites, 350
Dosimetry, 1572
Draw ratio attained in first drawing stage (D_{1r}), 1890
Drawing behavior, 1825
Drug delivery, 2349
DSC, 447, 742, 2354
Durability, 1582
Durable press finish, 319
Dye–cellulose complex, 1726
Dynamic light scattering, 1439
Dynamic mechanical analysis, 385, 680
Dynamic moduli, 396
Dynamomechanical analysis, 2136

Elastomer blends, 193
Elastomer composites, 646
Elastometric material, 1265
Electrical and mechanical properties, 714
Electrical conductivity, 2503
Electropolymerization, 1563
Electrorheological fluid, 108
Elongation, 2326
Elongational viscosity, 396, 1860, 2170
Emulsification, 944, 2408
Emulsifier distribution, 582
Emulsifier-free, 21
Emulsion, 295, 2230, 2558
Emulsion copolymerization, 2360, 2380

Emulsion polymerization, 21, 944, 1067
End-capped fluoroalkyl, 228
End-group analysis, 2431
Endgroup diffusion model, 2052
Endocellulase, 2543
Enthalpy of fusion, 1603
Enzyme immobilization, 466
EPDM, 2251
EPDM elastomers, 1178
Episulfide, 1359
Epoxies, 1371
Epoxy, 652, 1359, 2272, 2299
Epoxy resin, 214, 598, 2164
Epoxy–amine, 1771
Equal channel angular extrusion, 2060
Equation of state, 1134
Equilibrium melting temperature, 1603
Equilibrium volume swelling ratio (q_v), 920
Equilibrium weight swelling ratio (q_w), 920
ESR, 1188
Essential work of fracture, 842
Esterification, 319
Estimation, 1924, 2076
Etching, 1704
Ethylene polymerization, 356, 361, 1188
Ethylene–propylene–norbornene, 2136
Ethylene–vinyl acetate, 1877
Ethylene-1-octadecene, 221
Eutectic alloys, 1929
EVA, 193
EVOH, 1949
Experimental, 2360
Extrusion, 1249, 2548

Fast neutrons, 1749
Fiber, 437
Fibers, 1092, 2503
Fickian diffusion, 928
Filled polymer composites, 2258
Filler, 1371
Fillers, 1531
Film blowing, 2548
Film formation, 900, 2014
Films, 190, 1911
Fine structure, 2185
Flame retardance, 631
Flame retardation, 662
Flame-retardant, 342
Flow orientation, 396
Flow-induced orientation, 2170
Fluorescence, 1324
Fluorinated oligomer, 228
Fluoroalkanoyl peroxide, 228
Fluoroalkylmethacrylate, 203
Foam, 1336
Foam processing, 2146
Food simulants, 1780
Formulation, 38
Fourier transform infrared (FTIR) spectrophotometer, 1476
Fractional crystallization, 1999
Fractionation, 221
Fracture, 1371
Fracture toughness, 2317
Free radical, 96
Free-radical polymerization, 1195
Free-radical solution polymerization, 1513
Freeze drying, 2185, 2192
FTIR, 72, 319, 1283, 1825
FTIR spectra, 575
FT-Raman, 1572
Functionalized polypropylene, 2398
Fuzzy controller, 1249
Fuzzy modeling, 1249

γ Irradiation, 816
γ radiation, 1749
Garnet, 1336
Gas separation membranes, 275
Gel, 1890
Gel fraction, 1877
Gel time, 447
Gelatin, 1596
Gelation, 1113, 2299
Gellan, 437
Glass transition, 2185
Glass-transition temperature, 1541
Global and specific migration, 1384
Glycidyl methacrylate, 535
GPC, 72
Graft copolymerization, 1273
Graft polymerization, 2464
Graft polymerization by electron beam, 203
Grafted chitosan, 466
Grafting, 96, 767, 816, 874, 1283, 1764
Grafting of GMA, 1401
Grafting ratio, 2464
Greenhouses, 1802
Grignard reagent, 2245
g-SNRD, 2464

Halogenated polyimides, 176
Hardener, 214
Head to head defect, 1541
Headspace gas chromatography, 2349
Heat deflection temperature, 674
Heat-stabilization agent, 312
Heavy metals, 283
Heterogeneous comonomer distribution, 2022
Heterojunction, 2425
Hexamethyldisiloxane, 974
Hexamethylene diisocyanate, 1869
High modulus polyethylene fiber, 2494
High temperature, 2038
High-density polyethylene, 874
High-performance fabrics, 801
High-resolution thermogravimetry, 910
High-temperature polymers, 2326
Hollow fiber membrane, 517
Hollow-fiber membrane modules, 275
Homopolymers, 1513
HTPB, 959
Human cortical bone, 2527
Human cortical bone collagen, 2527
Humidity, 1590
HY zeolite, 1144
Hybrid polymerization, 1195
Hybrids, 794, 965
Hydrocarbons, 473
Hydrogel, 1809
Hydrogels, 115, 920
Hydrogen, 356, 361, 2480
Hydrogen bond, 680, 1596
Hydrogen peroxide, 719
Hydrogenation, 1618, 1838
Hydrolysis, 2517
Hydrolytic degradation, 1025
Hydrophilic membrane, 703
Hydrophobicity, 2251
Hydroxyl-terminated polybutadiene, 1869
Hysteresis, 1121

IBMA, 2558
Ideal free radical kinetics, 337
Imidization, 2052
Impact energy, 1704
Impact resistance, 2060
Impact testing, 733
Impedance spectroscopy, 2136
In situ polymerization, 319
In vivo entironment, 1653
Inductively coupled plasma, 176
Inherent viscosity, 1716
Inhibition, 1431
Injection, 2548
Injection molding, 1693
In-line, 1249

Instantaneous property method, 479
Instrumented Charpy impact test, 9
Insulator, 2164
Insulators, 2251
Integrated circuit packaging, 652
Interaction, 1113, 1144
Interaction parameter, 488
Interactions between permeant/permeant and permeant/membrane, 703
Interface self-assembly, 437
Interfacial failure, 38
Interfacial shear strength, 1042, 1162
Interparticle distance, 2317
Intrinsic viscosity, 1816
Inverse emulsion polymerization, 530
Inverse suspension polymerization, 1665
Ion-exchange membrane, 49
Ionic polarization, 1121
IR spectroscopy, 1034
Irradiation, 1456, 1877, 2494
Isocyanate, 1756
Isophorone diisocyanate, 1869
Isotactic polypropylene, 375, 1693, 2286, 2439
Isotherms, 1054
Itaconic acid, 319

J-integral value, 9
Jump length, 981
Jute fiber, 575

Kinetic constant, 2076
Kinetic model, 2517
Kinetics, 530, 853, 910, 1869
Konjac glucomannan, 1596

Lactic acid, 1531
Lanthanocene catalyst, 2245
Laser extensometer, 2534
Latex, 333
Lattice-like structure, 1627
LDPE, 90, 535
Light resistance, 2464
Lignin, 72, 719
Lignocellulosic fibers, 1084
Limonene, 1949
Linear low-density polyethylene, 1278, 2022, 2146
Linear low-density polyethylene (LLDPE), 29
Linear polymers, 246
Linkage moment approach, 246, 266
Liquid crystalline polymer, 497
Low density polyethylene, 1273
Low scattering loss, 176
Low temperature polymerization, 1230
Low-density polyethylene, 1877
Lubricant, 1838

Macroporous supports, 1297
Magnetic, 1847
Magnetic resonance imaging, 1572
MAH-grafted polypropylene, 2398
Main-chain random scission, 1151
(Main-chain)–(side-chain), 1549
Maleic anhydride, 96, 874
Mannich base, 1207
Mathematical modeling, 2360, 2380
Maximum critical draw ratio (λ_{cmax}), 1890
Mechanical properties, 631, 674, 959, 1345, 1816, 1949, 2340
Mechanical strength, 575
Mechanosorption, 1590
Melt extrusion, 2128
Melt flow index (MFI), 733
Melting, 497, 1942
Melting-recrystallization, 2022
Melt-phase transesterification kinetics, 928
Melt-processing, 2128
Mercapto-modified co-polymer, 193
Mercury ions uptake, 1467
Mesoporous carbon membrane, 836
Metal extraction, 2565
Metallocene catalysts, 2565
Methacrylates, 166
Methane, 473
Methanol, 289
Methyl acrylate, 1256
Methyl methacrylate, 767, 2038, 2245
Methylaluminoxane, 1243
Mica flake, 2164
Mica/carbon black hybrid reinforcement, 366
Microbial cellulose, 1726
Microdroplet test, 1042
Microhardness, 90
Microphase separation, 621
Microsphere, 1847
Microstructure, 544, 608, 621
Microwave assisted extraction, 1101
Microwave irradiation, 312
Microwave oven, 1317
Migration, 1780, 2251
Miscibility, 488, 1042, 1596
Mixed solvent, 1113
Mobility, 1506
Model reaction, 1556
Modification with toluene diisocyanate, 1201
Modified epoxy resin, 1771
Modified filler, 1942
Modified poly(styrene) with a new complex of properties, 638
Moisture barrier properties, 29
Moisture uptake, 652
Molecular deaggregation, 2543
Molecular orientation, 2060
Molecular shape, 1278
Molecular weight, 356, 2480
Molecular weight averages, 2431
Molecular weight distribution, 479, 853, 2431
Molecular-weight distribution, 928
Monodispersity, 2408
Monomer conversion, 853
Monomer–monomer interactions, 767
Monotitanocene catalyst, 1243
Montmorillonite, 289
Morphological structure, 2121
Morphologies, 1394
Morphology, 143, 1220, 1352, 2286, 2317, 2425
Mucoadhesive, 1525
Multigrain model, 2480
Multipass extrusion, 733
Multivariate analysis, 426

Nanocomposite, 1902
Nanofibers, 125
Nanofiltration, 2471
Nanometer Si_3N_4 filled poly(ether ether ketone) composite, 1394
Nanoparticle, 458
Natural rubber, 1, 60, 2354
NBR, 193
Negative pressure, 2439
Network, 2230, 2558
N-isopropylacrylamide, 1675
Nitrificated rubber, 638
Nitrile rubber, 366, 1618
Nitriles, 473
N-methyl *N*-vinyl acetamide, 337
n-Methylmorpholine oxide monohydrate solvent, 396
NMMO, 1860
NMR, 375, 1572
N,N-diethyl-aminopropyltrimethoxysilane, 2326

Nonisothermal crystallization kinetics, 1958
Nonlinear least-squares data fitting, 159
Nonlinear optical, 687
Nonlinear polymers, 266
Nonlinear viscoelasticity, 2534
Novel solubility character, 166
Novolac-type phenolic resin, 631
N-Phenylmaleimide, 1067
NR, 2340, 2354
Nucleation, 497, 779
Nucleophilic reaction, 1
Nylon 6,6, 1949
Nylon66, 1283

Oil absorptivity, 2464
Oiled sulfur, 1929
Oilfields, 1416
O,N-carboxymethyl chitosan (ONCMCh), 1476
One-step polythioetherimide formation, 2052
On-line Raman spectroscopy, 426
Optical absorption, 2425
Optical properties, 2221
Optical waveguides, 176
Orientation, 1278
Osmotic cracking, 2517
Oxidation, 719
Oxidative induction time (OIT), 733, 1986
Oxygen, 974

Palm oil, 2156
PANI, 1283
Paper, 1590
Paracrystalline model, 1979
Particle growth, 2565
Particle morphology, 2200
Particle number, 582
Particulate morphology, 2449
PBT, 2272
PDMSA, 631
Pentaerythritols, 2029
Percolation, 90
Perfluoroalkyl side chain, 159
Permeability, 696, 1949
Permeability coefficient, 981
Permeation rate, 1265
Permselectivity, 275
Pervaporation, 183, 203, 703, 1450
PET powder-filled HDPE, 827
Phase partition, 1431
Phase segregation, 779
Phenolic, 385
Phenolic acids and aldehydes, 719
Phenolic resin, 406, 555
Phenol-novolac, 2299
Phenolphthalein poly(ether ether ketone), 598
4-Phenyl-1,2,4-triazoline-3,5-diones, 1716
Phosphonium groups, 115
Phosphorus, 881
Phosphorus segment, 228
Phosphorus-containing phenolic resin, 342
Photocarrier, 1506
Photoconduction, 1506
Photoinduced birefringence, 687
Photoinitiation, 1911
Photon transmission, 2014
Photovoltaic, 2425
Physical properties, 1582, 2192
Pigmented media, 1911
Piperazine, 517
Plasma etching, 176
Plasma-polymerized film, 974
Plastic deformation behavior, 2534
Plastic shear transformations, 2534
Plastic zone, 9
Plasticity retention index, 2354
Plasticized poly(vinyl chloride), 1780
PLLA, 2128
Polar aromatics, 1278
Poly(acrylamide/maleic acid), 1809
Polyacrylonitrile, 473, 1423
Poly(amic acid) of salt, 289
Polyamide, 517
Polyamideimide, 687
Poly(amino acid), 2264
Polyaniline, 80, 108, 760, 1220, 2503
Polybenzoxazines, 1207
Poly(biphenyl ether triphenyl phosphate), 2326
Polyblends, 2272
Polybutadiene, 1986
Poly(butylene succinate), 1025, 2067
Polycarbonate, 90, 2060
Poly(dimethyl siloxane), 2349
Polydimethylsiloxane, 1062
Polydimethylsiloxane membrane, 203
Polydispersity, 2109
Polyester, 2517
Polyester acrylate resins, 2156
Poly(ester urethane), 1531
Polyethersulfone membrane, 183
Polyethylene, 96, 418, 2480, 2548
Polyethylene fiber, 1162
Poly(ethylene glycol), 836, 2509
Polyethylene grafted maleic anhydride, 1802
Poly(ethylene gylcol), 1999
Poly(ethylene terephthalate), 497, 808, 842, 874
Poly(ethylene terephthalate) (PET) films, 1825
Poly(ethylene terephthalate) powder, 827
Poly(ethylene-*co*-alkyl acrylate) blends, 779
Poly(ethylene-*co*-vinyl alcohol) membrane, 2449
Poly(ethylene-*co*-vinyl alcohol membrane), 2456
Poly(ethylene-*co*-1-octene), 1634
Poly(hydroxamic acid), 1256
Polyimide, 794
Polyimide hybrids, 289
Polyimide-based carbon, 836
Polyimide/clay hybrid, 1902
Polyion complex, 437
Poly(lactic acid), 1582
Poly(lactide), 1582
Poly(L-lactide), 2128
Poly-L-lysine, 437, 2264
Polymer blend, 836
Polymer coating, 1042
Polymer dispersion, 190
Polymer foam, 696
Polymer gel, 1572
Polymer modification, 1685
Polymer particle compressibility, 2565
Polymer–semiconductor, 2425
Polymerization, 2076, 2245
Polymerization kinetic, 361
Polymer-supported organotin chloride, 1297
Poly(methyl acrylate), 1541
Poly(methyl methacrylate)-graft-polyoxyethylene, 530
Polymethylmethacrylate, 143
Polyolefin, 2565
Polyolefin blends, 1101
Polyols, 2029
Poly(*o*-phenylenediamine) film, 327
Poly(*p*-dioxanone), 742
Polyperoxide, 1549
Polyphosphazene, 49
Poly(phthalazinone ether sulfone ketone), 1685
Polypropylene, 143, 302, 1317, 1456, 1634, 1942, 2136, 2317
Polypropylene (PP), 733, 1986
Polypropylene spherulites, 1704
Polypropylene-grafted acrylic acid, 1497

Polypropylene/polyamide blends, 2398
Poly(*p*-vinylphenol), 555
Polypyrrole, 86, 900
Polypyrrole tosylate, 350
Polysiloxaneimide, 965
Polystyrene, 418, 1243
Poly(styrene), 638
Polystyrene latexes, 2014
Poly(styrene-*co*-*N*-dimethylaminoethyl methacrylate), 2408
Poly(tetrafluoroethylene), 816
Poly(tetrafluoroethylene) filled low density polyethylene, 816
Poly(tetramethylene glycol), 2067
Polyurethane, 881, 910, 1121, 1336
Polyurethane modifiers, 1771
Poly(vinyl acetate), 1439
Poly(vinyl alcohol), 703, 1113
Poly(vinyl chloride), 1384, 2029
Poly(vinylidene fluoride), 1541
Poly(vinylimidazole) hydrogel, 1467
Poly(2-allyl)phenylene-oxide, 1563
Poly(2-methoxyaniline), 1506
Pore characteristics, 2192
Porous materials, 920, 2185, 2192
Porous membrane, 2449, 2456
Porous sorbents, 283
Positive temperature coefficient/negative temperature coefficient, 2258
Potassium permanganate, 1317
PP, 2272
PP-*g*-MA, 2272
Precipitated silica, 2509
Prediction, 1924
Prepolymer, 295
Pressure relaxation, 2170
Pressure–volume–temperature measurement, 302
PRI, 2354
Primary amines, 1207
Printability, 1273
Processing, 1084
Pro-oxidant, 2309
Propellant, 959
Property, 1456
Propylene, 2076
Propylene-*g*-methylmethacrylate, 143
Propylene-*g*-styrene, 2286
Proton conductivity, 49
PSAs, 2230, 2558
Pulsed NMR, 1113
PVA, 2471
PVA membrane, 1450
PVAc latex, 760
PVDF membrane, 801
PVT, 1134
Pyrolysis gas chromatographic analysis, 473

Quantification, 1034
Quartz crystal microbalance (QCM), 1062
Quaternary ammonium groups, 1416

Radical polymerization, 166, 1640, 1911
Radioisotopic method, 1929
Raman spectroscopy, 319
Reaction calorimetry, 944
Reaction kinetics, 1230
Reaction mechanism, 572
Reaction time, 853
Reactions on EP copolymer, 1401
Reactive blending, 638
Reactive compatibilizer, 2272
Reactive extrusion, 535, 2398
Reactive processing, 1401
Reactivity ratios, 159, 312
Recycled poly(ethylene terephthalate), 1816
Refractive index, 674
Regenerated cellulose, 1726
Reinforcement, 714
Reinforcement constructions, 214
Reinforcing fillers, 646
Remote and direct argon plasmas, 808
Reprocessibility, 1877
Resin system, 1359
Resins, 572
Resistance relaxation, 2258
Retardation spectra, 2527
Reverse osmosis, 517
Rheological behavior, 1627
Rheological behaviors, 1230
Rheological investigation, 1860
Rheological properties, 1634
Rheological property, 2146
Rheological study, 1787
Rheology, 406, 2340
Rice straw, 719
Rigid rod, 794
Rosin, 687
Roughness, 2221
Rubber, 714
Rubber agglomeration, 38
Rubber modification, 1531
Rubber seed oil alkyds, 2431
Rubber-toughened epoxy adhesive, 38

Sago starch, 29, 1256
Salt, 1486
Scanning electron microscope (SEM), 1476
SCRIMP, 1230
Sealants, 1034
Second time derivative analysis, 1986
Second-order nonlinear optical, 1852
Segmented block copolymer, 2067
Segmented polyurethane elastomers, 864
Selective polymeric membrane, 327
Self-doped polypyrrole copolymer, 86
Semibatch emulsion polymerization, 582
Semihyperbolic die, 2170
Sensor, 1062
Sepiolite calcined, 714
Shear strength, 2164
Shear thinng flow, 1627
Shear viscosity, 396
Shear-thickening, 1486
Shirasu porous glass, 2408
Silane coupling agents, 827
Silica, 794, 965
Silica-filled compounds, 1127
Silicon, 881
Silicon-containing poly(amide-amide)s, 1610
Silicone, 333, 2251
Silk fibers, 1979
Silk fibroin, 2185, 2192
Silylation, 2264
Simulation, 2038
Single-wall nanotubes, 125
Sisal fibers, 1084
Size exclusion chromatography, 1999
Slow condensate diffusion, 928
Slurry reactor, 2480
Small-angle X-ray scattering, 49
Sodium acrylate, 1665
Sodium alginate, 2471
Sodium starch sulfate, 1423
Soil aging, 1101
Sol–gel process, 794, 2326
Sol-gel material, 1852
Solid-state polymerization, 928
Solid-state reaction, 1317
Solubility, 1042, 1134, 1265, 1756, 2264
Solubility and thermal properties, 1610
Solubility parameter, 1582
Solubility parameters, 504

Solute rejection, 2456
Solution polymerization, 337
Solvent, 190
Solvent interactions, 608
Solvent-sensitive film, 166
Sorption, 1265
Sorption isotherms, 1467
Spectroscopy, 1590
Specular gloss, 2221
SPG emulsification, 2200
SPG (Shirasu porous glass) membrane, 2200
Spilled organic solvents, 504
Spin–spin relaxation, 965
s-SNRD, 2464
Stability, 1034
Stability assessment diagram, 2317
Stabilization, 2029
Stabilizer type, 2014
Starch, 1273, 2006, 2548
Static light scattering, 1439
Stearic acid, 1929
Stepwise Py–GC/MS, 1151
Straw, 72
Stress–strain curves, 2534
Structure, 1456
Styrene, 333, 944, 1067, 1431, 1497, 1513, 2109
Styrene copolymer, 1034
Styrene–butadiene rubber, 1127
Styrene–divinylbenzene, 504
Styrene–divinylbenzene–*n*-butyl acrylate, 504
Styrene–divinylbenzene–2-ethyl hexyl acrylate, 504
Styrene–vinylidene chloride copolymers, 544
Sulfated zirconia, 1450
Sulfonation, 1685, 2326
Sulfur, 1074, 1309
Sulfur vulcanization, 1
Superabsorbent, 115, 1423, 1665
Superabsorbent resins, 572
Surface, 1371
Surface chemistry, 2221
Surface energy, 159, 1384
Surface modification, 808, 1942
Surface modifying macromolecules, 183
Surface oxidation, 1317
Surface tension, 228, 582
Surface-aminated macroporous styrene–divinyl benzene, 1735
Suspension copolymerization, 1297
Suspension polymerization, 1431, 2200
Swelling, 608, 1134, 1582, 1809
Swelling behavior, 366, 1665
Syndiospecific polymerization of styrene, 1243
Syndiotactic polypropylene, 1603
Syndiotactic polystyrene, 1243
Synthesis, 2230
Synthetic rubbers, 60

Tackifying resin, 2109
Talc, 1693
TDI, 1201
Tebuconazole, 458
Temperature, 1054
Temperature rising elution fractionation, 221
Temperature utilized in second drawing stage (T_{use}), 1890
Template polymerization, 1525
Temporal stability, 1852
Tendon, 134
Tensile properties, 1, 29, 1756
Tensile strength, 366, 1169
Terephthalate, 2067
Terpolymerization, 479
Tetrahydrofuran, 289
Tetramethylthiuram disulfide, 1309
Tetrapolymer, 853
Textile fibers, 1092
Thermal aging, 2503
Thermal analysis, 125, 646
Thermal behavior, 680
Thermal degradation, 864, 2128
Thermal degradation of poly(ether imide), 1151
Thermal gravimetric analysis, 864
Thermal properties, 566, 1352, 1634
Thermal property, 2464
Thermal scanning rheometry, 447
Thermal stability, 555, 631, 864, 1764
Thermal study, 302
Thermally induced phase separation, 2449, 2456
Thermally stimulated creep, 2527
Thermoanalysis, 1067
Thermodynamic property, 1603
Thermodynamics of permeation, 981
Thermogravimetry, 2309
Thermomechanical properties, 1201
Thermooxidation, 733
Thermo-oxidation, 2309, 2354
Thermoplastic composites, 125
Thermoplastic elastomer, 1877
Thermoplasticization, 1965
Thermoreversible hydrogels, 1675
Thermosensitive polymers, 115
Thermoset, 406
Thin-film composite membranes, 275
Thioureas, 1074
Three-dimensional network, 1627
Time of flight, 1506
Tin leaching, 1297
Titanium butoxide, 1556
Toluene diisocyanate, 1869
Toughened polypropylene, 1345, 1352
Toughening, 2326
Toughness, 366, 842, 1371
Transcrystallization, 1693
Transesterification, 575, 1556
Transition-site model, 981
Transmittance, 674
Transparent, 900
Transparent polymeric material, 674
Transport, 1431
Tribological characteristics, 1394
Trimellitic anhydride, 1716
Triol, 959
Trouton ratio, 396
2D NMR, 544
2-D single-photon-counting imaging, 1929
Tyloses, 1169

Ultimate properties, 2326
Ultradrawing, 1890
Ultrafiltration membrane, 1685
Ultrahigh molecular weight, 1162
Ultrasonication, 1101
Ultraviolet, 1456
Uniformity, 1929
Unit cell, 1169
Unsaturated polyester, 1439
Unsaturated polyester resin, 447, 1201, 1230
Unstable crack propagation, 9
Urethane acrylate anionomer, 621
Urethane-methacrylate macromer, 680
UV-curable membrane, 466

Vanadium and titanium catalysts, 356, 361
Vanadocene catalytic system, 1188
Vapor-grown carbon fibers, 125
Variable-energy positron lifetime spectroscopy, 974
Vertical oscillation rheometer, 108
Vibrational damping, 366

Vinyl acetate, 944
Vinyl acid, 1640
Vinyl ester resin, 1042
Vinyl siloxane, 652
Vinylester resin, 1230
Vinylidene chloride, 1431
Vinyltrimethoxysilane, 1764
Virgin poly(ethylene terephthalate), 1816
Viscoelastic properties, 2299
Viscoelasticity, 134, 1787, 2527
Viscosity, 488, 1249, 1787
Viscosity buildup, 1869
Viscosity index improver, 1838
Volatile organic carbon, 203
Volatile organic chemicals, 183
Vulcanizates, 2340
Vulcanization, 1309
Water, 214
Water absorbency, 1665
Water lubrication, 1394
Water resistance, 21
Water sorption, 1054, 2543
Water uptake, 2121
Waterborne polyurethane, 295, 2006
Waterproof and moisture-permeable finishing, 801
Water-soluble, 1416
Water-soluble polypyrrole copolymer, 86
Water-swellable rubber, 2509
WAXS, 1825
Wettability, 1497, 1802
Wide-angle X-ray data, 1979
Wood fiber, 418
Wood preservative, 458
Wood-coating applications, 2156
Wool, 1054
Worn surface, 1394

Xerogel, 1665
X-ray diffraction, 375

Yellowness index, 733
Yield stress, 1787

Ziegler–Natta, 2076
Ziegler-Natta, 2480
Zinc dimethyldithiocarbamate, 1309
Zinc dithiocarbamates, 1074
Zinc ions, 1476
Zinc stearate, 1929